LEMBAR PENGESAHAN
LAPORAN HASIL UJI
Test Report

No. Aplikasi : 0808-24
Application Number

Nomor LHU : R-41/0760/2024
Test Report Number

DATA APLIKASI
Applicant's Data

Aplikan *Applicant's*	:	FARRA EKATAMA SOLUSI
Alamat Aplikan *Address of Applicant's*	:	*SATRIO TOWER, LANTAI 6, UNIT 1* *JL. PROF. DR. SATRIO BLOK C4, JAKARTA SELATAN*

DATA PERANGKAT
Test Item's Data

Nama Perangkat *Equipment*	:	4G Cellular Router
Merek/Tipe *Brand Name/ Type*	:	PUSR / USR-G806w
Nomor Seri/IMEI *Serial Number/ IMEI*	:	016013230711000003208
Buatan *Made In*	:	China

Tanggal Terima / Bayar *Date of Paid*	:	23 Oktober 2024	**Jenis Pengujian** *Type of Testing*	:	UJI LABORATORIUM
Tanggal Mulai Uji *Date of Test*	:	01 November 2024	**Lokasi Pengujian** *Test Location*	:	Tapos - Depok
Tanggal Selesai Uji *Date of End*	:	06 November 2024			

Ketentuan Umum
General Statement

A. Laporan pengujian ini hanya berlaku untuk sampel uji sebagaimana diatas
This the report is only valid the test item which is stated on the data above

B. Persyaratan Teknis
Technical Specification

KEPMEN KOMINFO NOMOR : 352 TAHUN 2024 , PERMEN KOMINFO NOMOR : 13 TAHUN 2021,

Kesimpulan
Conclusion

BERDASARKAN PERSYARATAN TEKNIS PERANGKAT TERSEBUT DINYATAKAN
Base on technical specification the equipment is

Sesuai (Comply)

Depok, 06 November 2024

Disahkan Oleh
An. Kepala Balai Besar Pengujian Perangkat Telekomunikasi
Ketua Tim Kerja Laboratorium Pengujian Radio Frequency dan Kalibrasi

Dokumen ini ditandatangani secara elektronik oleh
KETUA TIM KERJA LABORATORIUM PENGUJIAN
RADIO FREQUENCY DAN KALIBRASI

KARIJADI

BBPPT, Jl. Raya Tapos No. 46, Kec. Tapos, Depok
(+6221) 77817999, +62812-5000-0586
pelayanan.bbppt@kominfo.go.id
www.kominfo.go.id, www.sdppi.kominfo.go.id, bbppt.postel.go.id

Balai Besar Pengujian Perangkat Telekomunikasi
Direktorat Jenderal Sumber Daya dan Perangkat Pos dan Informatika
Kementerian Komunikasi dan Informatika

LAPORAN HASIL UJI
(LHU)
0808-24

4G Cellular Router
PUSR / USR-G806w
01601323071100003208
China

Tahun 2024

DAFTAR ISI


1.	Sampul LHU	i
2.	Daftar Isi	ii
3.	Hasil Pengujian	1
4.	Daftar Alat yang digunakan	6
5.	Ketidakpastian Pengukuran	7
6.	Gambar Barang Uji	8
7.	Data Pengujian	(terlampir)
8.	Lampiran Spesifikasi dan Deklarasi Teknis	(terlampir)


HASIL PENGUJIAN

Temperatur: 23.1 °C Kelembapan: 52.4 %

No *No*	Item Uji *Test Item*	Spesifikasi *Specification*	Toleransi Uji *Test Tolerance*	Hasil Uji *Measurement Result*	Ket *Remark*
	LTE 2300 MHz	Kepmen Kominfo Nomor 352 Tahun 2024 Permen Kominfo Nomor 13 Tahun 2021			
A	Frekuensi Kerja				
1	Band	Band 40			
	Uplink	2300 - 2400 MHz		2302.5 ~ 2397.5 MHz	
	Downlink	2300 - 2400 MHz		2302.5 ~ 2397.5 MHz	
2	Channeling				
	Uplink	38650 - 39649		38675 ~ 39625	
	Downlink	38650 - 39649		38675 ~ 39625	
B	Channel Bandwidth	5, 10, 15 dan 20 MHz		5,10,15, dan 20 MHz	
C	Persyaratan Pemancar				
1	Maximum Output Power				
	Class 3	21 - 25 dBm	± 0.7 dB	24.37 ~ 25.12 dBm	
2	Minimum Output Power	≤ -40 dBm	1 dB	-44.52 dBm	
3	Transmit OFF Power	≤ -50 dBm	1.5 dB	-69.70 dBm	
4	Frequency Error	± 0.1 ppm		-0.01 ppm	
5	EVM				
	a. Modulasi QPSK	≤ 17.5 %		3.85 %	
	b. Modulasi 16QAM	≤ 12.5 %		3.75 %	
6	Occupied Bandwidth	≤ 5 MHz		4.48 MHz	
		≤ 10 MHz		8.87 MHz	
		≤ 15 MHz		13.32 MHz	
		≤ 20 MHz		17.84 MHz	
7	SEM				
	Bandwidth 5 MHz				
	a. Low Side (QPSK)				
	0 - 1 MHz	≤ -15 dBm	1.5 dB	-29.88 dBm	
	1 - 5 MHz	≤ -10 dBm	1.5 dB	-20.87 dBm	
	5 - 6 MHz	≤ -13 dBm	1.5 dB	-22.40 dBm	
	6 - 10 MHz	≤ -25 dBm	1.5 dB	-28.04 dBm	

Catatan :

Penguji	Penguji
Sari Sukmawati Gunardi	Fahmi Nurdin Handy Novian
	


Penyelia Teknik Radio Frequency
Eldin Hamdy


HASIL PENGUJIAN

Temperatur: 23.1 °C Kelembapan: 52.4 %

No *No*	Item Uji *Test Item*	Spesifikasi *Specification*	Toleransi Uji *Test Tolerance*	Hasil Uji *Measurement Result*	Ket *Remark*
	b. High Side (QPSK)				
	0 - 1 MHz	≤ -15 dBm	1.5 dB	-30.98 dBm	
	1 - 5 MHz	≤ -10 dBm	1.5 dB	-21.07 dBm	
	5 - 6 MHz	≤ -13 dBm	1.5 dB	-24.67 dBm	
	6 - 10 MHz	≤ -25 dBm	1.5 dB	-24.93 dBm	
	c, Low Side (16QAM)				
	0 - 1 MHz	≤ -15 dBm	1.5 dB	-29.96 dBm	
	1 - 5 MHz	≤ -10 dBm	1.5 dB	-18.34 dBm	
	5 - 6 MHz	≤ -13 dBm	1.5 dB	-25.81 dBm	
	6 - 10 MHz	≤ -25 dBm	1.5 dB	-31.82 dBm	
	d. High Side (16QAM)				
	0 - 1 MHz	≤ -15 dBm	1.5 dB	-29.46 dBm	
	1 - 5 MHz	≤ -10 dBm	1.5 dB	-19.20 dBm	
	5 - 6 MHz	≤ -13 dBm	1.5 dB	-26.64 dBm	
	6 - 10 MHz	≤ -25 dBm	1.5 dB	-29.89 dBm	
	Bandwidth 10 MHz				
	a. Low Side (QPSK)				
	0 - 1 MHz	≤ -18 dBm	1.5 dB	-32.78 dBm	
	1 - 5 MHz	≤ -10 dBm	1.5 dB	-17.12 dBm	
	5 - 10 MHz	≤ -13 dBm	1.5 dB	-23.71 dBm	
	10 - 15 MHz	≤ -25 dBm	1.5 dB	-34.42 dBm	
	b. High Side (QPSK)				
	0 - 1 MHz	≤ -18 dBm	1.5 dB	-33.59 dBm	
	1 - 5 MHz	≤ -10 dBm	1.5 dB	-16.18 dBm	
	5 - 10 MHz	≤ -13 dBm	1.5 dB	-23.48 dBm	
	10 - 15 MHz	≤ -25 dBm	1.5 dB	-31.61 dBm	

Catatan :

Penguji	Penguji
Sari Sukmawati Gunardi	Fahmi Nurdin Handy Novian
	


Penyelia Teknik Radio Frequency
Eldin Hamdy



HASIL PENGUJIAN

Temperatur: 23.1 °C Kelembapan: 52.4 %

No *No*	Item Uji *Test Item*	Spesifikasi *Specification*	Toleransi Uji *Test Tolerance*	Hasil Uji *Measurement Result*	Ket *Remark*
	c. Low Side (16QAM)				
	0 - 1 MHz	≤ -18 dBm	1.5 dB	-32.09 dBm	
	1 - 5 MHz	≤ -10 dBm	1.5 dB	-17.68 dBm	
	5 - 10 MHz	≤ -13 dBm	1.5 dB	-24.80 dBm	
	10 - 15 MHz	≤ -25 dBm	1.5 dB	-33.74 dBm	
	d. High Side (16QAM)				
	0 - 1 MHz	≤ -18 dBm	1.5 dB	-32.45 dBm	
	1 - 5 MHz	≤ -10 dBm	1.5 dB	-16.72 dBm	
	5 - 10 MHz	≤ -13 dBm	1.5 dB	-22.36 dBm	
	10 - 15 MHz	≤ -25 dBm	1.5 dB	-32.35 dBm	
	Bandwidth 20 MHz				
	a. Low Side (QPSK)				
	0 - 1 MHz	≤ -21 dBm	1.5 dB	-36.76 dBm	
	1 - 5 MHz	≤ -10 dBm	1.5 dB	-18.31 dBm	
	5 - 20 MHz	≤ -13 dBm	1.5 dB	-18.31 dBm	
	20 - 25 MHz	≤ -25 dBm	1.5 dB	-24.02 dBm	
	b. High Side (QPSK)				
	0 - 1 MHz	≤ -21 dBm	1.5 dB	-36.80 dBm	
	1 - 5 MHz	≤ -10 dBm	1.5 dB	-17.95 dBm	
	5 - 20 MHz	≤ -13 dBm	1.5 dB	-13.65 dBm	
	20 - 25 MHz	≤ -25 dBm	1.5 dB	-24.70 dBm	
	c. Low Side (16QAM)				
	0 - 1 MHz	≤ -21 dBm	1.5 dB	-35.24 dBm	
	1 - 5 MHz	≤ -10 dBm	1.5 dB	-19.43 dBm	
	5 - 20 MHz	≤ -13 dBm	1.5 dB	-20.24 dBm	
	20 - 25 MHz	≤ -25 dBm	1.5 dB	-34.45 dBm	

Catatan :

Penguji	Penguji
Sari Sukmawati Gunardi	Fahmi Nurdin Handy Novian
	


Penyelia Teknik Radio Frequency
Eldin Hamdy



HASIL PENGUJIAN

Temperatur: 23.1 °C Kelembapan: 52.4 %

No *No*	Item Uji *Test Item*	Spesifikasi *Specification*	Toleransi Uji *Test Tolerance*	Hasil Uji *Measurement Result*	Ket *Remark*
	d. High Side (16QAM)				
	0 - 1 MHz	≤ -21 dBm	1.5 dB	-35.19 dBm	
	1 - 5 MHz	≤ -10 dBm	1.5 dB	-16.91 dBm	
	5 - 20 MHz	≤ -13 dBm	1.5 dB	-20.74 dBm	
	20 - 25 MHz	≤ -25 dBm	1.5 dB	-31.37 dBm	
8	ACLR				
	a. Low Side (QPSK)				
	E-UTRA	≤ -30 dB	0.8 dB	-32.69 dB	
	UTRA #1	≤ -33 dB	0.8 dB	-36.01 dB	
	UTRA #2	≤ -36 dB	0.8 dB	-37.91 dB	
	b. High Side (QPSK)				
	E-UTRA	≤ -30 dB	0.8 dB	-31.31 dB	
	UTRA #1	≤ -33 dB	0.8 dB	-35.17 dB	
	UTRA #2	≤ -36 dB	0.8 dB	-36.54 dB	
	c. Low Side (16QAM)				
	E-UTRA	≤ -30 dB	0.8 dB	-32.09 dB	
	UTRA #1	≤ -33 dB	0.8 dB	-34.84 dB	
	UTRA #2	≤ -36 dB	0.8 dB	-37.05 dB	
	d. High Side (16QAM)				
	E-UTRA	≤ -30 dB	0.8 dB	-30.16 dB	
	UTRA #1	≤ -33 dB	0.8 dB	-33.68 dB	
	UTRA #2	≤ -36 dB	0.8 dB	-35.96 dB	
9	Transmitter Spurious Emission				
	30 MHz ≤ f < 1000 MHz	≤ -36 dBm		-58.63 dBm	
	1 GHz ≤ f < 12.75 GHz	≤ -30 dBm		-40.19 dBm	

Catatan :


Penguji	Penguji
Sari Sukmawati Gunardi	Fahmi Nurdin Handy Novian
	


Penyelia Teknik Radio Frequency
Eldin Hamdy


HASIL PENGUJIAN

Temperatur: 23.1 °C Kelembapan: 52.4 %

No *No*	Item Uji *Test Item*	Spesifikasi *Specification*	Toleransi Uji *Test Tolerance*	Hasil Uji *Measurement Result*	Ket *Remark*
D	Persyaratan Penerima				
1	Receiver Sensitivity	≥ 95 %		100.00 %	
2	Maximum Input Level	≥ 95 %		99.99 %	
3	Receiver Spurious Emission				
	30 MHz ≤ f < 1000 MHz	≤ -57 dBm		-77.47 dBm	
	1 GHz ≤ f < 12.75 GHz	≤ -47 dBm		-61.37 dBm	
Catatan :					

Penguji	Penguji
Sari Sukmawati Gunardi	Fahmi Nurdin Handy Novian
	

Penyelia Teknik Radio Frequency
Eldin Hamdy


DAFTAR ALAT YANG DIGUNAKAN


No	Nama Alat	Merek/Tipe	No Serial	Tanggal Kalibrasi
1.	UXM Wireless Test Set	Keysight / E7515A	MY55200218	18 Maret 2024
2.	CXA Signal Analyzer	Keysight / N9000A	MY54231147	7 Agustus 2024

KETIDAKPASTIAN PENGUKURAN

No	Parameter	Uncertainty Budget
1.	Maximum Output Power	± 1.5 dB
2.	Minimum Output Power	± 1.5 dB
3.	Transmit OFF Power	± 1.5 dB
4.	Frequency Error	± 0.59 MHz
5.	Occupied Bandwidth	± 0.59 MHz
6.	Spectrum Emission Mask (SEM)	± 1.5 dB
7.	Adjacent Channel Leakage Ratio (ACLR)	± 1.5 dB
8.	Transmitter Spurious Emission	± 1.6 dB
9.	Receiver Spurious Emission	± 1.6 dB

GAMBAR BARANG UJI



















Column1	Column2	Column3	Column4	Column5	Column6	Column7	Column8	Column9	Column10	Column11	Column12	Column13	Column14	Column15	Column16	Column17	Column18
Number of Applciation	:0808-24																
IMEI	:868711062737369																
Remark 1	4G Cellular Router																
Remark 2	PUSR / USR-G806w																
Start Test date	2024-11-01 18:11:55																
Test Plan Name	05 TDD B40 2300																
E7515A Serial Number	MY55200218																
E7515A Firmware version	Platform:1.6.24.0																
Duration Time	00:12:19																
; TestSet:1.6.14.0; Measurement:T.17.56																	
Item	SubItem	Band	UL EARFCN	DL EARFCN	UL Frequency	DL Frequency	Bandwidth	UL RB Start	UL RB Size	UL Modulation	Lower Limit	Measurement Result	Upper Limit	Margin	Unit	Pass/Fail	Note
6.2.2 Maximum Output Power		40	38675	38675	2302.5	2302.5	5.0	0	1	QPSK 5	20.30	24.79	25.70	0.91	dBm	PASS	
6.2.2 Maximum Output Power		40	38675	38675	2302.5	2302.5	5.0	0	8	QPSK 6	20.30	25.12	25.70	0.58	dBm	PASS	
6.2.2 Maximum Output Power		40	39150	39150	2350.0	2350.0	5.0	0	1	QPSK 5	20.30	24.89	25.70	0.81	dBm	PASS	
6.2.2 Maximum Output Power		40	39150	39150	2350.0	2350.0	5.0	0	8	QPSK 6	20.30	25.01	25.70	0.69	dBm	PASS	
6.2.2 Maximum Output Power		40	39625	39625	2397.5	2397.5	5.0	24	1	QPSK 5	20.30	24.69	25.70	1.01	dBm	PASS	
6.2.2 Maximum Output Power		40	39625	39625	2397.5	2397.5	5.0	17	8	QPSK 6	20.30	24.74	25.70	0.96	dBm	PASS	
6.2.2 Maximum Output Power		40	38750	38750	2310.0	2310.0	20.0	0	1	QPSK 5	20.30	24.87	25.70	0.83	dBm	PASS	
6.2.2 Maximum Output Power		40	38750	38750	2310.0	2310.0	20.0	0	18	QPSK 6	20.30	24.81	25.70	0.89	dBm	PASS	
6.2.2 Maximum Output Power		40	39150	39150	2350.0	2350.0	20.0	0	1	QPSK 5	20.30	24.83	25.70	0.87	dBm	PASS	
6.2.2 Maximum Output Power		40	39150	39150	2350.0	2350.0	20.0	0	18	QPSK 6	20.30	24.37	25.70	1.33	dBm	PASS	
6.2.2 Maximum Output Power		40	39550	39550	2390.0	2390.0	20.0	99	1	QPSK 5	20.30	24.69	25.70	1.01	dBm	PASS	
6.2.2 Maximum Output Power		40	39550	39550	2390.0	2390.0	20.0	82	18	QPSK 6	20.30	24.79	25.70	0.91	dBm	PASS	
6.3.2 Minimum Output Power		40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-100.00	-45.1	-39.00	6.10	dBm	PASS	
6.3.2 Minimum Output Power		40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-100.00	-45.68	-39.00	6.68	dBm	PASS	
6.3.2 Minimum Output Power		40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-100.00	-44.82	-39.00	5.82	dBm	PASS	
6.3.2 Minimum Output Power		40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK 2	-100.00	-44.52	-39.00	5.52	dBm	PASS	
6.3.2 Minimum Output Power		40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	-100.00	-45.45	-39.00	6.45	dBm	PASS	
6.3.2 Minimum Output Power		40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK 2	-100.00	-44.84	-39.00	5.84	dBm	PASS	
6.3.4.1 General ON OFF Time Mask	General OFF Time Mask(Before)	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-9999.90	-73.5	-48.50	1.00	dBm	PASS	
6.3.4.1 General ON OFF Time Mask	General ON Time Mask	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-16.10	-8.97	-1.10	7.13	dBm	PASS	
6.3.4.1 General ON OFF Time Mask	General OFF Time Mask(After)	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-9999.90	-75.82	-48.50	1.00	dBm	PASS	
6.3.4.1 General ON OFF Time Mask	General OFF Time Mask(Before)	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-9999.90	-73.26	-48.50	1.00	dBm	PASS	
6.3.4.1 General ON OFF Time Mask	General ON Time Mask	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-16.10	-9.2	-1.10	6.90	dBm	PASS	
6.3.4.1 General ON OFF Time Mask	General OFF Time Mask(After)	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-9999.90	-75.85	-48.50	1.00	dBm	PASS	
6.3.4.1 General ON OFF Time Mask	General OFF Time Mask(Before)	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-9999.90	-72.85	-48.50	1.00	dBm	PASS	
6.3.4.1 General ON OFF Time Mask	General ON Time Mask	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-16.10	-8.48	-1.10	7.38	dBm	PASS	
6.3.4.1 General ON OFF Time Mask	General OFF Time Mask(After)	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-9999.90	-75.7	-48.50	1.00	dBm	PASS	
6.3.4.1 General ON OFF Time Mask	General OFF Time Mask(Before)	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK 2	-9999.90	-70.13	-48.50	1.00	dBm	PASS	
6.3.4.1 General ON OFF Time Mask	General ON Time Mask	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK 2	-10.10	-2.74	4.90	7.36	dBm	PASS	
6.3.4.1 General ON OFF Time Mask	General OFF Time Mask(After)	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK 2	-9999.90	-70.48	-48.50	1.00	dBm	PASS	
6.3.4.1 General ON OFF Time Mask	General OFF Time Mask(Before)	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	-9999.90	-70.2	-48.50	1.00	dBm	PASS	
6.3.4.1 General ON OFF Time Mask	General ON Time Mask	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	-10.10	-3.37	4.90	6.73	dBm	PASS	
6.3.4.1 General ON OFF Time Mask	General OFF Time Mask(After)	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	-9999.90	-70.5	-48.50	1.00	dBm	PASS	
6.3.4.1 General ON OFF Time Mask	General OFF Time Mask(Before)	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK 2	-9999.90	-69.7	-48.50	1.00	dBm	PASS	
6.3.4.1 General ON OFF Time Mask	General ON Time Mask	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK 2	-10.10	-2.64	4.90	7.46	dBm	PASS	
6.3.4.1 General ON OFF Time Mask	General OFF Time Mask(After)	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK 2	-9999.90	-70.36	-48.50	1.00	dBm	PASS	
6.6.1 Occupied Bandwidth		40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	0.00	4.48	5.00	0.52	MHz	PASS	
6.6.1 Occupied Bandwidth		40	39150	39150	2350.0	2350.0	10.0	0	50	QPSK 6	0.00	8.87	10.00	1.13	MHz	PASS	
6.6.1 Occupied Bandwidth		40	39150	39150	2350.0	2350.0	15.0	0	75	QPSK 3	0.00	13.32	15.00	1.68	MHz	PASS	
6.6.1 Occupied Bandwidth		40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	0.00	17.84	20.00	2.16	MHz	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	19.30	23.77	25.70	1.93	dBm	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-9999.99	-35.09	-29.20	5.89	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-9999.99	-35.7	-29.20	6.50	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-9999.99	-36.18	-32.20	3.98	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-9999.99	-36.61	-32.20	4.41	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-9999.99	-51.77	-35.20	16.57	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-9999.99	-53.28	-35.20	18.08	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	38675	38675	2302.5	2302.5	5.0	0	8	QPSK 6	20.30	25.04	25.70	0.66	dBm	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QPSK 6	-9999.99	-39.15	-29.20	9.95	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QPSK 6	-9999.99	-52.88	-29.20	23.68	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QPSK 6	-9999.99	-40.66	-32.20	8.46	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QPSK 6	-9999.99	-53.4	-32.20	21.20	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QPSK 6	-9999.99	-60.56	-35.20	25.36	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QPSK 6	-9999.99	-62.79	-35.20	27.59	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	38675	38675	2302.5	2302.5	5.0	17	8	QPSK 6	20.30	25.27	25.70	0.43	dBm	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QPSK 6	-9999.99	-54.16	-29.20	24.96	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QPSK 6	-9999.99	-38.53	-29.20	9.33	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QPSK 6	-9999.99	-54.99	-32.20	22.79	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QPSK 6	-9999.99	-40.87	-32.20	8.67	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QPSK 6	-9999.99	-63.45	-35.20	28.25	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QPSK 6	-9999.99	-60.79	-35.20	25.59	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	38675	38675	2302.5	2302.5	5.0	0	25	QAM16 12	18.30	22.78	25.70	2.92	dBm	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QAM16 12	-9999.99	-33.97	-29.20	4.77	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QAM16 12	-9999.99	-34.26	-29.20	5.06	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QAM16 12	-9999.99	-34.91	-32.20	2.71	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QAM16 12	-9999.99	-35.29	-32.20	3.09	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QAM16 12	-9999.99	-52.92	-35.20	17.72	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QAM16 12	-9999.99	-51.4	-35.20	16.20	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	38675	38675	2302.5	2302.5	5.0	0	8	QAM16 20	19.30	24.22	25.70	1.48	dBm	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QAM16 20	-9999.99	-37.28	-29.20	8.08	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QAM16 20	-9999.99	-52.03	-29.20	22.83	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QAM16 20	-9999.99	-40.23	-32.20	8.03	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QAM16 20	-9999.99	-52.55	-32.20	20.35	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QAM16 20	-9999.99	-60.37	-35.20	25.17	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QAM16 20	-9999.99	-63.19	-35.20	27.99	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	38675	38675	2302.5	2302.5	5.0	17	8	QAM16 20	19.30	23.99	25.70	1.71	dBm	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QAM16 20	-9999.99	-54.18	-29.20	24.98	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QAM16 20	-9999.99	-36.34	-29.20	7.14	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QAM16 20	-9999.99	-55.04	-32.20	22.84	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QAM16 20	-9999.99	-38.65	-32.20	6.45	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QAM16 20	-9999.99	-63.15	-35.20	27.95	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QAM16 20	-9999.99	-60.95	-35.20	25.75	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	19.30	23.95	25.70	1.75	dBm	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-9999.99	-36.11	-29.20	6.91	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-9999.99	-37.46	-29.20	8.26	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-9999.99	-36.81	-32.20	4.61	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-9999.99	-38.55	-32.20	6.35	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-9999.99	-53.45	-35.20	18.25	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-9999.99	-55.26	-35.20	20.06	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39150	39150	2350.0	2350.0	5.0	0	8	QPSK 6	20.30	25.11	25.70	0.59	dBm	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QPSK 6	-9999.99	-38.5	-29.20	9.30	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QPSK 6	-9999.99	-51.75	-29.20	22.55	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QPSK 6	-9999.99	-40.88	-32.20	8.68	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QPSK 6	-9999.99	-52.1	-32.20	19.90	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QPSK 6	-9999.99	-60.4	-35.20	25.20	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QPSK 6	-9999.99	-62.92	-35.20	27.72	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39150	39150	2350.0	2350.0	5.0	17	8	QPSK 6	20.30	25.06	25.70	0.64	dBm	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QPSK 6	-9999.99	-55.12	-29.20	25.92	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QPSK 6	-9999.99	-39.66	-29.20	10.46	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QPSK 6	-9999.99	-55.85	-32.20	23.65	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QPSK 6	-9999.99	-42.18	-32.20	9.98	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QPSK 6	-9999.99	-63.38	-35.20	28.18	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QPSK 6	-9999.99	-60.65	-35.20	25.45	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39150	39150	2350.0	2350.0	5.0	0	25	QAM16 12	18.30	22.65	25.70	3.05	dBm	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QAM16 12	-9999.99	-34.78	-29.20	5.58	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QAM16 12	-9999.99	-35.93	-29.20	6.73	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QAM16 12	-9999.99	-36.01	-32.20	3.81	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QAM16 12	-9999.99	-37.14	-32.20	4.94	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QAM16 12	-9999.99	-54	-35.20	18.80	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QAM16 12	-9999.99	-56.59	-35.20	21.39	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39150	39150	2350.0	2350.0	5.0	0	8	QAM16 20	19.30	24.19	25.70	1.51	dBm	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QAM16 20	-9999.99	-38.77	-29.20	9.57	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QAM16 20	-9999.99	-51.2	-29.20	22.00	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QAM16 20	-9999.99	-41.83	-32.20	9.63	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QAM16 20	-9999.99	-51.48	-32.20	19.28	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QAM16 20	-9999.99	-60.53	-35.20	25.33	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QAM16 20	-9999.99	-63.24	-35.20	28.04	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39150	39150	2350.0	2350.0	5.0	17	8	QAM16 20	19.30	24.33	25.70	1.37	dBm	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QAM16 20	-9999.99	-54.99	-29.20	25.79	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QAM16 20	-9999.99	-38.98	-29.20	9.78	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QAM16 20	-9999.99	-55.66	-32.20	23.46	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QAM16 20	-9999.99	-42.45	-32.20	10.25	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QAM16 20	-9999.99	-63.14	-35.20	27.94	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QAM16 20	-9999.99	-60.69	-35.20	25.49	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	19.30	23.71	25.70	1.99	dBm	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-9999.99	-36.59	-29.20	7.39	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-9999.99	-38.96	-29.20	9.76	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-9999.99	-37.78	-32.20	5.58	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-9999.99	-40.09	-32.20	7.89	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-9999.99	-52.89	-35.20	17.69	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-9999.99	-55.83	-35.20	20.63	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39625	39625	2397.5	2397.5	5.0	0	8	QPSK 6	20.30	24.82	25.70	0.88	dBm	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QPSK 6	-9999.99	-39.88	-29.20	10.68	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QPSK 6	-9999.99	-53.08	-29.20	23.88	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QPSK 6	-9999.99	-42.67	-32.20	10.47	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QPSK 6	-9999.99	-53.51	-32.20	21.31	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QPSK 6	-9999.99	-59.78	-35.20	24.58	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QPSK 6	-9999.99	-62.27	-35.20	27.07	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39625	39625	2397.5	2397.5	5.0	17	8	QPSK 6	20.30	24.93	25.70	0.77	dBm	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QPSK 6	-9999.99	-52.25	-29.20	23.05	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QPSK 6	-9999.99	-40.6	-29.20	11.40	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QPSK 6	-9999.99	-52.71	-32.20	20.51	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QPSK 6	-9999.99	-43.63	-32.20	11.43	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QPSK 6	-9999.99	-63.01	-35.20	27.81	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QPSK 6	-9999.99	-60.67	-35.20	25.47	dBc	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39625	39625	2397.5	2397.5	5.0	0	25	QAM16 12	18.30	22.73	25.70	2.97	dBm	PASS	
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QAM16 12	-9999.99	-36.07	-29.20	6.87	dBc	PASS	

6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QAM16	12	-9999.99	-38.12	-29.20	8.92	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QAM16	12	-9999.99	-37.06	-32.20	4.86	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QAM16	12	-9999.99	-39.29	-32.20	7.09	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QAM16	12	-9999.99	-54.56	-35.20	19.36	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QAM16	12	-9999.99	-55.17	-35.20	19.97	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39625	39625	2397.5	2397.5	5.0	0	8	QAM16	20	19.30	23.71	25.70	1.99	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QAM16	20	-9999.99	-39.1	-29.20	9.90	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QAM16	20	-9999.99	-53.42	-29.20	24.22	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QAM16	20	-9999.99	-42.52	-32.20	10.32	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QAM16	20	-9999.99	-53.87	-32.20	21.67	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QAM16	20	-9999.99	-59.73	-35.20	24.53	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QAM16	20	-9999.99	-61.55	-35.20	26.35	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39625	39625	2397.5	2397.5	5.0	17	8	QAM16	20	19.30	23.89	25.70	1.81	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QAM16	20	-9999.99	-52.1	-29.20	22.90	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QAM16	20	-9999.99	-38.61	-29.20	9.41	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QAM16	20	-9999.99	-52.55	-32.20	20.35	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QAM16	20	-9999.99	-41	-32.20	8.80	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QAM16	20	-9999.99	-62.56	-35.20	27.36	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QAM16	20	-9999.99	-59.74	-35.20	24.54	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	38700	38700	2305.0	2305.0	10.0	0	50	QPSK	6	19.30	24.58	25.70	1.12	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QPSK	6	-9999.99	-35.63	-29.20	6.43	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QPSK	6	-9999.99	-36.29	-29.20	7.09	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QPSK	6	-9999.99	-37.48	-32.20	5.28	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QPSK	6	-9999.99	-38.33	-32.20	6.13	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QPSK	6	-9999.99	-42.65	-35.20	7.45	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QPSK	6	-9999.99	-43.08	-35.20	7.88	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	38700	38700	2305.0	2305.0	10.0	0	12	QPSK	6	20.30	24.95	25.70	0.75	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QPSK	6	-9999.99	-38.75	-29.20	9.55	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QPSK	6	-9999.99	-56.6	-29.20	27.40	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QPSK	6	-9999.99	-39.32	-32.20	7.12	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QPSK	6	-9999.99	-59.66	-32.20	27.46	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QPSK	6	-9999.99	-58.76	-35.20	23.56	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QPSK	6	-9999.99	-61.62	-35.20	26.42	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	38700	38700	2305.0	2305.0	10.0	38	12	QPSK	6	20.30	25.25	25.70	0.45	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QPSK	6	-9999.99	-53.71	-29.20	24.51	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QPSK	6	-9999.99	-40.59	-29.20	11.39	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QPSK	6	-9999.99	-57.05	-32.20	24.85	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QPSK	6	-9999.99	-41.24	-32.20	9.04	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QPSK	6	-9999.99	-58.71	-35.20	23.51	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QPSK	6	-9999.99	-53.02	-35.20	17.82	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	38700	38700	2305.0	2305.0	10.0	0	50	QAM16	20	18.30	23.03	25.70	2.67	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QAM16	20	-9999.99	-33.6	-29.20	4.40	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QAM16	20	-9999.99	-33.56	-29.20	4.36	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QAM16	20	-9999.99	-34.84	-32.20	2.64	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QAM16	20	-9999.99	-35.03	-32.20	2.83	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QAM16	20	-9999.99	-42.85	-35.20	7.65	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QAM16	20	-9999.99	-42.74	-35.20	7.54	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	38700	38700	2305.0	2305.0	10.0	0	12	QAM16	20	19.30	23.87	25.70	1.83	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QAM16	20	-9999.99	-39.35	-29.20	10.15	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QAM16	20	-9999.99	-57.13	-29.20	27.93	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QAM16	20	-9999.99	-40.11	-32.20	7.91	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QAM16	20	-9999.99	-60.34	-32.20	28.14	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QAM16	20	-9999.99	-59.85	-35.20	24.65	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QAM16	20	-9999.99	-62.3	-35.20	27.10	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	38700	38700	2305.0	2305.0	10.0	38	12	QAM16	20	19.30	24.13	25.70	1.57	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QAM16	20	-9999.99	-53.61	-29.20	24.41	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QAM16	20	-9999.99	-39.33	-29.20	10.13	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QAM16	20	-9999.99	-58.04	-32.20	25.84	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QAM16	20	-9999.99	-40.25	-32.20	8.05	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QAM16	20	-9999.99	-58.09	-35.20	22.89	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QAM16	20	-9999.99	-53.47	-35.20	18.27	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39150	39150	2350.0	2350.0	10.0	0	50	QPSK	6	19.30	24.16	25.70	1.54	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QPSK	6	-9999.99	-35.35	-29.20	6.15	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QPSK	6	-9999.99	-37.83	-29.20	8.63	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QPSK	6	-9999.99	-36.61	-32.20	4.41	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QPSK	6	-9999.99	-38.92	-32.20	6.72	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QPSK	6	-9999.99	-44.59	-35.20	9.39	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QPSK	6	-9999.99	-48.1	-35.20	12.90	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39150	39150	2350.0	2350.0	10.0	0	12	QPSK	6	20.30	24.97	25.70	0.73	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QPSK	6	-9999.99	-40.85	-29.20	11.65	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QPSK	6	-9999.99	-56.21	-29.20	27.01	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QPSK	6	-9999.99	-41.52	-32.20	9.32	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QPSK	6	-9999.99	-60.16	-32.20	27.96	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QPSK	6	-9999.99	-60.11	-35.20	24.91	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QPSK	6	-9999.99	-61.21	-35.20	26.01	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39150	39150	2350.0	2350.0	10.0	38	12	QPSK	6	20.30	24.98	25.70	0.72	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QPSK	6	-9999.99	-51.96	-29.20	22.76	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QPSK	6	-9999.99	-41.46	-29.20	12.26	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QPSK	6	-9999.99	-56.98	-32.20	24.78	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QPSK	6	-9999.99	-42.22	-32.20	10.02	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QPSK	6	-9999.99	-56.41	-35.20	21.21	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QPSK	6	-9999.99	-54.59	-35.20	19.39	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39150	39150	2350.0	2350.0	10.0	0	50	QAM16	20	18.30	22.9	25.70	2.80	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QAM16	20	-9999.99	-34.15	-29.20	4.95	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QAM16	20	-9999.99	-36.94	-29.20	7.74	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QAM16	20	-9999.99	-35.41	-32.20	3.21	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QAM16	20	-9999.99	-38.14	-32.20	5.94	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QAM16	20	-9999.99	-44.02	-35.20	8.82	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QAM16	20	-9999.99	-47.32	-35.20	12.12	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39150	39150	2350.0	2350.0	10.0	0	12	QAM16	20	19.30	23.7	25.70	2.00	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QAM16	20	-9999.99	-39.23	-29.20	10.03	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QAM16	20	-9999.99	-56.03	-29.20	26.83	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QAM16	20	-9999.99	-39.78	-32.20	7.58	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QAM16	20	-9999.99	-59.6	-32.20	27.40	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QAM16	20	-9999.99	-59.74	-35.20	24.54	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QAM16	20	-9999.99	-61.11	-35.20	25.91	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39150	39150	2350.0	2350.0	10.0	38	12	QAM16	20	19.30	23.8	25.70	1.90	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QAM16	20	-9999.99	-52.15	-29.20	22.95	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QAM16	20	-9999.99	-39.12	-29.20	9.92	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QAM16	20	-9999.99	-57.63	-32.20	25.43	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QAM16	20	-9999.99	-39.89	-32.20	7.69	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QAM16	20	-9999.99	-55.75	-35.20	20.55	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QAM16	20	-9999.99	-53.27	-35.20	18.07	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39600	39600	2395.0	2395.0	10.0	0	50	QPSK	6	19.30	23.94	25.70	1.76	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QPSK	6	-9999.99	-36.89	-29.20	7.69	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QPSK	6	-9999.99	-40.74	-29.20	11.54	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QPSK	6	-9999.99	-38.15	-32.20	5.95	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QPSK	6	-9999.99	-41.99	-32.20	9.79	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QPSK	6	-9999.99	-46.16	-35.20	10.96	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QPSK	6	-9999.99	-50.43	-35.20	15.23	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39600	39600	2395.0	2395.0	10.0	0	12	QPSK	6	20.30	24.85	25.70	0.85	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QPSK	6	-9999.99	-40.62	-29.20	11.42	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QPSK	6	-9999.99	-58.42	-29.20	29.22	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QPSK	6	-9999.99	-41.27	-32.20	9.07	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QPSK	6	-9999.99	-62.03	-32.20	29.83	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QPSK	6	-9999.99	-60.53	-35.20	25.33	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QPSK	6	-9999.99	-62.34	-35.20	27.14	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39600	39600	2395.0	2395.0	10.0	38	12	QPSK	6	20.30	24.98	25.70	0.72	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QPSK	6	-9999.99	-51.28	-29.20	22.08	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QPSK	6	-9999.99	-43.47	-29.20	14.27	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QPSK	6	-9999.99	-54.74	-32.20	22.54	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QPSK	6	-9999.99	-44.39	-32.20	12.19	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QPSK	6	-9999.99	-56.28	-35.20	21.08	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QPSK	6	-9999.99	-54.8	-35.20	19.60	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39600	39600	2395.0	2395.0	10.0	0	50	QAM16	20	18.30	22.85	25.70	2.85	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QAM16	20	-9999.99	-35.89	-29.20	6.69	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QAM16	20	-9999.99	-38.97	-29.20	9.77	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QAM16	20	-9999.99	-36.93	-32.20	4.73	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QAM16	20	-9999.99	-40.14	-32.20	7.94	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QAM16	20	-9999.99	-46.48	-35.20	11.28	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QAM16	20	-9999.99	-49.78	-35.20	14.58	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39600	39600	2395.0	2395.0	10.0	0	12	QAM16	20	19.30	24	25.70	1.70	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QAM16	20	-9999.99	-42.14	-29.20	12.94	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QAM16	20	-9999.99	-58.01	-29.20	28.81	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QAM16	20	-9999.99	-42.8	-32.20	10.60	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QAM16	20	-9999.99	-61.16	-32.20	28.96	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QAM16	20	-9999.99	-60.88	-35.20	25.68	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QAM16	20	-9999.99	-62.61	-35.20	27.41	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39600	39600	2395.0	2395.0	10.0	38	12	QAM16	20	19.30	24	25.70	1.70	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QAM16	20	-9999.99	-51.49	-29.20	22.29	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QAM16	20	-9999.99	-42.59	-29.20	13.39	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QAM16	20	-9999.99	-56.44	-32.20	24.24	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QAM16	20	-9999.99	-43.47	-32.20	11.27	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QAM16	20	-9999.99	-56.03	-35.20	20.83	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QAM16	20	-9999.99	-54.92	-35.20	19.72	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK	2	19.30	24.18	25.70	1.52	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK	2	-9999.99	-33.62	-29.20	4.42	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK	2	-9999.99	-31.31	-29.20	2.11	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK	2	-9999.99	-36.9	-32.20	4.70	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK	2	-9999.99	-35.17	-32.20	2.97	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK	2	-9999.99	-38.74	-35.20	3.54	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK	2	-9999.99	-36.54	-35.20	1.34	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	38750	38750	2310.0	2310.0	20.0	0	18	QPSK	6	20.30	24.81	25.70	0.89	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QPSK	6	-9999.99	-39.91	-29.20	10.71	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QPSK	6	-9999.99	-52.8	-29.20	23.60	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QPSK	6	-9999.99	-38.69	-32.20	6.49	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QPSK	6	-9999.99	-62.42	-32.20	30.22	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QPSK	6	-9999.99	-55.7	-35.20	20.50	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QPSK	6	-9999.99	-61.89	-35.20	26.69	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	38750	38750	2310.0	2310.0	20.0	82	18	QPSK	6	20.30	25.01	25.70	0.69	dBm	PASS

6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QPSK 6	-9999.99	-56.84	-29.20	27.64	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QPSK_6	-9999.99	-39.82	-29.20	10.62	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QPSK 6	-9999.99	-63.69	-32.20	31.49	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QPSK 6	-9999.99	-38.53	-32.20	6.33	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QPSK 6	-9999.99	-64.7	-35.20	29.50	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QPSK 6	-9999.99	-55.39	-35.20	20.19	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	38750	38750	2310.0	2310.0	20.0	0	100	QAM16 12	18.30	23.18	25.70	2.52	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QAM16 12	-9999.99	-32.77	-29.20	3.57	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QAM16 12	-9999.99	-30.16	-29.20	0.96	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QAM16 12	-9999.99	-36.05	-32.20	3.85	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QAM16_12	-9999.99	-33.68	-32.20	1.48	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QAM16_12	-9999.99	-37.58	-35.20	2.38	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QAM16 12	-9999.99	-35.96	-35.20	0.76	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	38750	38750	2310.0	2310.0	20.0	0	18	QAM16 15	19.30	23.68	25.70	2.02	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QAM16 15	-9999.99	-39.82	-29.20	10.62	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QAM16 15	-9999.99	-53.06	-29.20	23.86	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QAM16 15	-9999.99	-38	-32.20	5.80	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QAM16 15	-9999.99	-62.76	-32.20	30.56	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QAM16 15	-9999.99	-56.21	-35.20	21.01	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QAM16 15	-9999.99	-61.5	-35.20	26.30	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	38750	38750	2310.0	2310.0	20.0	82	18	QAM16 15	19.30	23.83	25.70	1.87	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QAM16 15	-9999.99	-57.33	-29.20	28.13	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QAM16 15	-9999.99	-37.03	-29.20	7.83	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QAM16 15	-9999.99	-64.27	-32.20	32.07	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QAM16 15	-9999.99	-35.5	-32.20	3.30	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QAM16 15	-9999.99	-64.42	-35.20	29.22	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QAM16_15	-9999.99	-56.16	-35.20	20.96	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	19.30	23.95	25.70	1.75	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	-9999.99	-32.69	-29.20	3.49	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	-9999.99	-35.48	-29.20	6.28	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	-9999.99	-36.01	-32.20	3.81	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	-9999.99	-38.68	-32.20	6.48	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	-9999.99	-37.91	-35.20	2.71	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	-9999.99	-41.33	-35.20	6.13	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39150	39150	2350.0	2350.0	20.0	0	18	QPSK 6	20.30	24.81	25.70	0.89	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QPSK_6	-9999.99	-39.65	-29.20	10.45	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QPSK 6	-9999.99	-55.98	-29.20	26.78	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QPSK 6	-9999.99	-38.16	-32.20	5.96	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QPSK 6	-9999.99	-64.21	-32.20	32.01	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QPSK 6	-9999.99	-57.53	-35.20	22.33	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QPSK 6	-9999.99	-64.11	-35.20	28.91	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39150	39150	2350.0	2350.0	20.0	82	18	QPSK 6	20.30	25.44	25.70	0.26	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QPSK 6	-9999.99	-55.59	-29.20	26.39	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QPSK_6	-9999.99	-41.52	-29.20	12.32	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QPSK 6	-9999.99	-62.63	-32.20	30.43	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QPSK 6	-9999.99	-40.27	-32.20	8.07	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QPSK 6	-9999.99	-62.2	-35.20	27.00	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QPSK 6	-9999.99	-58.46	-35.20	23.26	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39150	39150	2350.0	2350.0	20.0	0	100	QAM16 12	18.30	22.74	25.70	2.96	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QAM16 12	-9999.99	-32.09	-29.20	2.89	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QAM16 12	-9999.99	-34.92	-29.20	5.72	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QAM16_12	-9999.99	-35.38	-32.20	3.18	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QAM16 12	-9999.99	-38.24	-32.20	6.04	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QAM16 12	-9999.99	-37.05	-35.20	1.85	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QAM16 12	-9999.99	-40.6	-35.20	5.40	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39150	39150	2350.0	2350.0	20.0	0	18	QAM16 15	19.30	23.85	25.70	1.85	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QAM16 15	-9999.99	-43.38	-29.20	14.18	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QAM16 15	-9999.99	-55.57	-29.20	26.37	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QAM16 15	-9999.99	-42.2	-32.20	10.00	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QAM16 15	-9999.99	-63.71	-32.20	31.51	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QAM16_15	-9999.99	-58.98	-35.20	23.78	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QAM16 15	-9999.99	-63.98	-35.20	28.78	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39150	39150	2350.0	2350.0	20.0	82	18	QAM16 15	19.30	24.48	25.70	1.22	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QAM16 15	-9999.99	-55.41	-29.20	26.21	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QAM16 15	-9999.99	-43.38	-29.20	14.18	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QAM16 15	-9999.99	-62.12	-32.20	29.92	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QAM16 15	-9999.99	-40.72	-32.20	8.52	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QAM16 15	-9999.99	-63.03	-35.20	27.83	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QAM16_15	-9999.99	-58.56	-35.20	23.36	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK 2	19.30	23.7	25.70	2.00	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK 2	-9999.99	-36.28	-29.20	7.08	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK 2	-9999.99	-38.76	-29.20	9.56	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK 2	-9999.99	-39.31	-32.20	7.11	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK 2	-9999.99	-41.76	-32.20	9.56	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK 2	-9999.99	-41.91	-35.20	6.71	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK 2	-9999.99	-44.43	-35.20	9.23	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39550	39550	2390.0	2390.0	20.0	0	18	QPSK_6	20.30	25.07	25.70	0.63	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QPSK 6	-9999.99	-42.9	-29.20	13.70	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QPSK 6	-9999.99	-56.52	-29.20	27.32	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QPSK 6	-9999.99	-41.15	-32.20	8.95	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QPSK 6	-9999.99	-63.86	-32.20	31.66	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QPSK 6	-9999.99	-60.44	-35.20	25.24	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QPSK 6	-9999.99	-64.04	-35.20	28.84	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39550	39550	2390.0	2390.0	20.0	82	18	QPSK 6	20.30	24.78	25.70	0.92	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QPSK 6	-9999.99	-55.63	-29.20	26.43	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QPSK_6	-9999.99	-45.07	-29.20	15.87	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QPSK 6	-9999.99	-63.04	-32.20	30.84	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QPSK 6	-9999.99	-43.69	-32.20	11.49	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QPSK 6	-9999.99	-63.21	-35.20	28.01	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QPSK 6	-9999.99	-58.87	-35.20	23.67	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39550	39550	2390.0	2390.0	20.0	0	100	QAM16 12	18.30	22.78	25.70	2.92	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QAM16 12	-9999.99	-35.77	-29.20	6.57	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QAM16 12	-9999.99	-38.09	-29.20	8.89	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QAM16_12	-9999.99	-38.94	-32.20	6.74	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QAM16 12	-9999.99	-40.55	-32.20	8.35	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QAM16 12	-9999.99	-41.04	-35.20	5.84	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QAM16 12	-9999.99	-44.51	-35.20	9.31	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39550	39550	2390.0	2390.0	20.0	0	18	QAM16 15	19.30	24.06	25.70	1.64	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QAM16 15	-9999.99	-43.21	-29.20	14.01	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QAM16 15	-9999.99	-56.09	-29.20	26.89	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QAM16 15	-9999.99	-41.11	-32.20	8.91	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QAM16_15	-9999.99	-63.56	-32.20	31.36	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QAM16 15	-9999.99	-60.34	-35.20	25.14	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QAM16 15	-9999.99	-63.94	-35.20	28.74	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UE Output Power for ACLR	40	39550	39550	2390.0	2390.0	20.0	82	18	QAM16 15	19.30	23.53	25.70	2.17	dBm	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(Low Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QAM16 15	-9999.99	-55.36	-29.20	26.16	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	E-UTRA ACLR1(High Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QAM16 15	-9999.99	-42.23	-29.20	13.03	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(Low Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QAM16 15	-9999.99	-62.52	-32.20	30.32	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR1(High Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QAM16 15	-9999.99	-40.71	-32.20	8.51	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(Low Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QAM16 15	-9999.99	-61.76	-35.20	26.56	dBc	PASS
6.6.2.3 Adjacent Channel Leakage power Ratio (ACLR)	UTRA ACLR2(High Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QAM16_15	-9999.99	-58.27	-35.20	23.07	dBc	PASS
Total Passed tests	418															
Total Failed tests	0															

Column1	Column2	Column3	Column4	Column5	Column6	Column7	Column8	Column9	Column10	Column11	Column12	Column13	Column14	Column15	Column16	Column17	Column18
Number of Applciation	:0808-24																
IMEI	:868711062737369																
Remark 1	4G Cellular Router																
Remark 2	PUSR / USR-G806w																
Start Test date	2024-11-01 18:11:55																
Test Plan Name	05 TDD B40 2300																
E7515A Serial Number	MY55200218																
E7515A Firmware version	Platform:1.6.24.0																
Duration Time	00:12:19																
; TestSet:1.6.14.0; Measurement:T.17.56																	
Item	SubItem	Band	UL EARFCN	DL EARFCN	UL Frequency	DL Frequency	Bandwidth	UL RB Start	UL RB Size	UL Modulation	Lower Limit	Measurement Result	Upper Limit	Margin	Unit	Pass/Fail	Note
6.5.1 Frequency Error		40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-230.25	-0.95	230.25	0.00	Hz	PASS	
6.5.1 Frequency Error		40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-0.10	0	0.10	0.10	ppm	PASS	
6.5.1 Frequency Error		40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-235.00	1.3	235.00	0.00	Hz	PASS	
6.5.1 Frequency Error		40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-0.10	0	0.10	0.10	ppm	PASS	
6.5.1 Frequency Error		40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-239.75	1.24	239.75	0.00	Hz	PASS	
6.5.1 Frequency Error		40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-0.10	0	0.10	0.10	ppm	PASS	
6.5.1 Frequency Error		40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK 2	-231.00	-19.29	231.00	0.00	Hz	PASS	
6.5.1 Frequency Error		40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK 2	-0.10	-0.01	0.10	0.09	ppm	PASS	
6.5.1 Frequency Error		40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	-235.00	-10.36	235.00	0.00	Hz	PASS	
6.5.1 Frequency Error		40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	-0.10	-0.01	0.10	0.09	ppm	PASS	
6.5.1 Frequency Error		40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK 2	-239.00	-0.37	239.00	0.00	Hz	PASS	
6.5.1 Frequency Error		40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK 2	-0.10	0	0.10	0.10	ppm	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PRACH EVM @Cell Power -63.00dBm	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	0.00	2	17.50	15.50	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PRACH EVM @Cell Power -78.00dBm	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	0.00	2.68	17.50	14.82	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	0.00	3.04	17.50	14.46	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	0.00	3.16	17.50	14.34	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUCCH EVM @ -36.8dBm	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	0.00	1.32	17.50	16.18	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUCCH EVM @ Max Power Level	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	0.00	1.39	17.50	16.11	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	38675	38675	2302.5	2302.5	5.0	0	8	QPSK 6	0.00	2.77	17.50	14.73	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	38675	38675	2302.5	2302.5	5.0	0	8	QPSK 6	0.00	2.91	17.50	14.59	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	38675	38675	2302.5	2302.5	5.0	17	8	QPSK 6	0.00	2.93	17.50	14.57	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	38675	38675	2302.5	2302.5	5.0	17	8	QPSK 6	0.00	2.97	17.50	14.53	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	38675	38675	2302.5	2302.5	5.0	0	25	QAM16 12	0.00	3.16	12.50	9.34	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	38675	38675	2302.5	2302.5	5.0	0	25	QAM16 12	0.00	3.23	12.50	9.27	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	38675	38675	2302.5	2302.5	5.0	0	8	QAM16 20	0.00	3.12	12.50	9.38	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	38675	38675	2302.5	2302.5	5.0	0	8	QAM16 20	0.00	3.03	12.50	9.47	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	38675	38675	2302.5	2302.5	5.0	17	8	QAM16 20	0.00	3.04	12.50	9.46	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	38675	38675	2302.5	2302.5	5.0	17	8	QAM16 20	0.00	2.9	12.50	9.60	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PRACH EVM @Cell Power -63.00dBm	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	0.00	2.17	17.50	15.33	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PRACH EVM @Cell Power -78.00dBm	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	0.00	2.85	17.50	14.65	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	0.00	2.97	17.50	14.53	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	0.00	3.5	17.50	14.00	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUCCH EVM @ -36.8dBm	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	0.00	1.36	17.50	16.14	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUCCH EVM @ Max Power Level	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	0.00	1.35	17.50	16.15	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39150	39150	2350.0	2350.0	5.0	0	8	QPSK 6	0.00	2.99	17.50	14.51	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39150	39150	2350.0	2350.0	5.0	0	8	QPSK 6	0.00	3.15	17.50	14.35	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39150	39150	2350.0	2350.0	5.0	17	8	QPSK 6	0.00	2.82	17.50	14.68	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39150	39150	2350.0	2350.0	5.0	17	8	QPSK 6	0.00	3.14	17.50	14.36	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39150	39150	2350.0	2350.0	5.0	0	25	QAM16 12	0.00	3.03	12.50	9.47	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39150	39150	2350.0	2350.0	5.0	0	25	QAM16 12	0.00	3.26	12.50	9.24	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39150	39150	2350.0	2350.0	5.0	0	8	QAM16 20	0.00	2.96	12.50	9.54	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39150	39150	2350.0	2350.0	5.0	0	8	QAM16 20	0.00	3.38	12.50	9.12	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39150	39150	2350.0	2350.0	5.0	17	8	QAM16 20	0.00	3.01	12.50	9.49	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39150	39150	2350.0	2350.0	5.0	17	8	QAM16 20	0.00	3.51	12.50	8.99	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PRACH EVM @Cell Power -63.00dBm	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	0.00	2.64	17.50	14.86	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PRACH EVM @Cell Power -78.00dBm	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	0.00	2.98	17.50	14.52	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	0.00	2.91	17.50	14.59	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	0.00	3.32	17.50	14.18	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUCCH EVM @ -36.8dBm	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	0.00	1.22	17.50	16.28	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUCCH EVM @ Max Power Level	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	0.00	1.24	17.50	16.26	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39625	39625	2397.5	2397.5	5.0	0	8	QPSK 6	0.00	2.66	17.50	14.84	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39625	39625	2397.5	2397.5	5.0	0	8	QPSK 6	0.00	2.95	17.50	14.55	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39625	39625	2397.5	2397.5	5.0	17	8	QPSK 6	0.00	2.79	17.50	14.71	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39625	39625	2397.5	2397.5	5.0	17	8	QPSK 6	0.00	2.96	17.50	14.54	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39625	39625	2397.5	2397.5	5.0	0	25	QAM16 12	0.00	3.09	12.50	9.41	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39625	39625	2397.5	2397.5	5.0	0	25	QAM16 12	0.00	3.38	12.50	9.12	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39625	39625	2397.5	2397.5	5.0	0	8	QAM16 20	0.00	3.01	12.50	9.49	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39625	39625	2397.5	2397.5	5.0	0	8	QAM16 20	0.00	3.14	12.50	9.36	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39625	39625	2397.5	2397.5	5.0	17	8	QAM16 20	0.00	2.85	12.50	9.65	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39625	39625	2397.5	2397.5	5.0	17	8	QAM16 20	0.00	3.03	12.50	9.47	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PRACH EVM @Cell Power -63.00dBm	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK 2	0.00	1.9	17.50	15.60	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PRACH EVM @Cell Power -78.00dBm	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK 2	0.00	2.95	17.50	14.55	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK 2	0.00	3.17	17.50	14.33	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK 2	0.00	3.78	17.50	13.72	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUCCH EVM @ -36.8dBm	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK 2	0.00	1.16	17.50	16.34	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUCCH EVM @ Max Power Level	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK 2	0.00	1.19	17.50	16.31	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	38750	38750	2310.0	2310.0	20.0	0	18	QPSK 6	0.00	2.76	17.50	14.74	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	38750	38750	2310.0	2310.0	20.0	0	18	QPSK 6	0.00	3.21	17.50	14.29	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	38750	38750	2310.0	2310.0	20.0	82	18	QPSK 6	0.00	2.8	17.50	14.70	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	38750	38750	2310.0	2310.0	20.0	82	18	QPSK 6	0.00	3.11	17.50	14.39	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	38750	38750	2310.0	2310.0	20.0	0	100	QAM16 12	0.00	3.28	12.50	9.22	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	38750	38750	2310.0	2310.0	20.0	0	100	QAM16 12	0.00	3.58	12.50	8.92	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	38750	38750	2310.0	2310.0	20.0	0	18	QAM16 15	0.00	3.1	12.50	9.40	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	38750	38750	2310.0	2310.0	20.0	0	18	QAM16 15	0.00	3.34	12.50	9.16	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	38750	38750	2310.0	2310.0	20.0	82	18	QAM16 15	0.00	3.13	12.50	9.37	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	38750	38750	2310.0	2310.0	20.0	82	18	QAM16 15	0.00	3.48	12.50	9.02	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PRACH EVM @Cell Power -63.00dBm	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	0.00	2.3	17.50	15.20	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PRACH EVM @Cell Power -78.00dBm	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	0.00	2.94	17.50	14.56	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	0.00	3.15	17.50	14.35	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	0.00	3.85	17.50	13.65	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUCCH EVM @ -36.8dBm	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	0.00	2.24	17.50	15.26	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUCCH EVM @ Max Power Level	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK 2	0.00	2	17.50	15.50	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39150	39150	2350.0	2350.0	20.0	0	18	QPSK 6	0.00	2.81	17.50	14.69	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39150	39150	2350.0	2350.0	20.0	0	18	QPSK 6	0.00	3.17	17.50	14.33	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39150	39150	2350.0	2350.0	20.0	82	18	QPSK 6	0.00	2.72	17.50	14.78	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39150	39150	2350.0	2350.0	20.0	82	18	QPSK 6	0.00	3.14	17.50	14.36	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39150	39150	2350.0	2350.0	20.0	0	100	QAM16 12	0.00	3.21	12.50	9.29	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39150	39150	2350.0	2350.0	20.0	0	100	QAM16 12	0.00	3.75	12.50	8.75	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39150	39150	2350.0	2350.0	20.0	0	18	QAM16 15	0.00	3.34	12.50	9.16	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39150	39150	2350.0	2350.0	20.0	0	18	QAM16 15	0.00	3.28	12.50	9.22	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39150	39150	2350.0	2350.0	20.0	82	18	QAM16 15	0.00	2.79	12.50	9.71	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39150	39150	2350.0	2350.0	20.0	82	18	QAM16 15	0.00	3.36	12.50	9.14	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PRACH EVM @Cell Power -63.00dBm	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK 2	0.00	2.9	17.50	14.60	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PRACH EVM @Cell Power -78.00dBm	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK 2	0.00	3.15	17.50	14.35	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK 2	0.00	3.19	17.50	14.31	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK 2	0.00	3.72	17.50	13.78	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUCCH EVM @ -36.8dBm	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK 2	0.00	1.22	17.50	16.28	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUCCH EVM @ Max Power Level	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK 2	0.00	1.27	17.50	16.23	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39550	39550	2390.0	2390.0	20.0	0	18	QPSK 6	0.00	2.84	17.50	14.66	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39550	39550	2390.0	2390.0	20.0	0	18	QPSK 6	0.00	3.26	17.50	14.24	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39550	39550	2390.0	2390.0	20.0	82	18	QPSK 6	0.00	2.95	17.50	14.55	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39550	39550	2390.0	2390.0	20.0	82	18	QPSK 6	0.00	3.28	17.50	14.22	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39550	39550	2390.0	2390.0	20.0	0	100	QAM16 12	0.00	3.14	12.50	9.36	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39550	39550	2390.0	2390.0	20.0	0	100	QAM16 12	0.00	3.68	12.50	8.82	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39550	39550	2390.0	2390.0	20.0	0	18	QAM16 15	0.00	3.04	12.50	9.46	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39550	39550	2390.0	2390.0	20.0	0	18	QAM16 15	0.00	3.41	12.50	9.09	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ Max Power Level	40	39550	39550	2390.0	2390.0	20.0	82	18	QAM16 15	0.00	3.09	12.50	9.41	%	PASS	
6.5.2.1 Error Vector Magnitude (EVM)	PUSCH EVM @ -36.8dBm	40	39550	39550	2390.0	2390.0	20.0	82	18	QAM16 15	0.00	3.39	12.50	9.11	%	PASS	
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	19.30	21.98	25.70	2.68	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-9999.99	-31.89	-13.50	18.39	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-9999.99	-33.07	-13.50	19.57	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-9999.99	-21.33	-8.50	12.83	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-9999.99	-21.07	-8.50	12.57	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-9999.99	-24.5	-11.50	13.00	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-9999.99	-29.96	-11.50	18.46	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-9999.99	-29.2	-23.50	5.70	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK 5	-9999.99	-26.54	-23.50	3.04	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	38675	38675	2302.5	2302.5	5.0	0	8	QPSK 6	20.30	22.93	25.70	2.63	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QPSK 6	-9999.99	-31.32	-13.50	17.82	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QPSK 6	-9999.99	-48.2	-13.50	34.70	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QPSK 6	-9999.99	-21.76	-8.50	13.26	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QPSK 6	-9999.99	-31.49	-8.50	22.99	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QPSK 6	-9999.99	-36.32	-11.50	24.82	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QPSK 6	-9999.99	-30.63	-11.50	19.13	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QPSK 6	-9999.99	-28.04	-23.50	4.54	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QPSK 6	-9999.99	-24.99	-23.50	1.49	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	38675	38675	2302.5	2302.5	5.0	17	8	QPSK 6	20.30	22.9	25.70	2.60	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QPSK 6	-9999.99	-47.65	-13.50	34.15	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QPSK 6	-9999.99	-31.13	-13.50	17.63	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QPSK 6	-9999.99	-32.76	-8.50	24.26	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QPSK 6	-9999.99	-23.58	-8.50	15.08	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QPSK 6	-9999.99	-32.57	-11.50	21.07	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QPSK 6	-9999.99	-32.2	-11.50	20.70	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QPSK 6	-9999.99	-30.51	-23.50	7.01	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QPSK 6	-9999.99	-29.47	-23.50	5.97	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	38675	38675	2302.5	2302.5	5.0	0	25	QAM16 12	18.30	20.76	25.70	2.46	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QAM16 12	-9999.99	-33.55	-13.50	20.05	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QAM16 12	-9999.99	-32.86	-13.50	19.36	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QAM16 12	-9999.99	-18.34	-8.50	9.84	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QAM16 12	-9999.99	-19.2	-8.50	10.70	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QAM16 12	-9999.99	-30.84	-11.50	19.34	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QAM16 12	-9999.99	-26.64	-11.50	15.14	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QAM16 12	-9999.99	-31.82	-23.50	8.32	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	0	25	QAM16 12	-9999.99	-31.58	-23.50	8.08	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	38675	38675	2302.5	2302.5	5.0	0	8	QAM16 20	19.30	21.24	25.70	1.94	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QAM16 20	-9999.99	-31.12	-13.50	17.62	dBm	PASS	
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QAM16 20	-9999.99	-50.45	-13.50	36.95	dBm	PASS	

6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QAM16 20	-9999.99	-22.08	-8.50	13.58	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QAM16 20	-9999.99	-29.47	-8.50	20.97	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QAM16 20	-9999.99	-33.15	-11.50	21.65	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QAM16 20	-9999.99	-32.01	-11.50	20.51	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QAM16 20	-9999.99	-36.84	-23.50	13.34	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	0	8	QAM16 20	-9999.99	-31.11	-23.50	7.61	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	38675	38675	2302.5	2302.5	5.0	17	8	QAM16 20	19.30	21.31	25.70	2.01	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QAM16 20	-9999.99	-48.26	-13.50	34.76	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QAM16 20	-9999.99	-30.19	-13.50	16.69	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QAM16 20	-9999.99	-29.48	-8.50	20.98	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QAM16 20	-9999.99	-19.29	-8.50	10.79	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QAM16 20	-9999.99	-25.81	-11.50	14.31	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QAM16 20	-9999.99	-33.52	-11.50	22.02	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Lower Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QAM16 20	-9999.99	-34.72	-23.50	11.22	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Upper Side)	40	38675	38675	2302.5	2302.5	5.0	17	8	QAM16 20	-9999.99	-30.47	-23.50	6.97	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	19.30	21.87	25.70	2.57	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-9999.99	-32.38	-13.50	18.88	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-9999.99	-32.45	-13.50	18.95	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-9999.99	-20.87	-8.50	12.37	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-9999.99	-22.22	-8.50	13.72	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-9999.99	-22.4	-11.50	10.90	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-9999.99	-28.46	-11.50	16.96	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-9999.99	-30.06	-23.50	6.56	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK 5	-9999.99	-24.93	-23.50	1.43	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39150	39150	2350.0	2350.0	5.0	0	8	QPSK 6	20.30	23.28	25.70	2.42	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QPSK 6	-9999.99	-29.88	-13.50	16.38	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QPSK 6	-9999.99	-48.81	-13.50	35.31	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QPSK 6	-9999.99	-22.67	-8.50	14.17	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QPSK 6	-9999.99	-24.36	-8.50	15.86	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QPSK 6	-9999.99	-34.52	-11.50	23.02	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QPSK 6	-9999.99	-24.67	-11.50	13.17	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QPSK 6	-9999.99	-30	-23.50	6.50	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QPSK 6	-9999.99	-30.98	-23.50	7.48	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39150	39150	2350.0	2350.0	5.0	17	8	QPSK 6	20.30	23.34	25.70	2.36	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QPSK 6	-9999.99	-48.73	-13.50	35.23	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QPSK 6	-9999.99	-32.4	-13.50	18.90	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QPSK 6	-9999.99	-28.2	-8.50	19.70	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QPSK 6	-9999.99	-24.13	-8.50	15.63	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QPSK 6	-9999.99	-33.47	-11.50	21.97	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QPSK 6	-9999.99	-33.07	-11.50	21.57	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QPSK 6	-9999.99	-38.77	-23.50	15.27	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QPSK 6	-9999.99	-34.23	-23.50	10.73	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39150	39150	2350.0	2350.0	5.0	0	25	QAM16 12	18.30	20.45	25.70	2.15	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QAM16 12	-9999.99	-32.97	-13.50	19.47	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QAM16 12	-9999.99	-33.96	-13.50	20.46	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QAM16 12	-9999.99	-18.96	-8.50	10.46	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QAM16 12	-9999.99	-19.42	-8.50	10.92	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QAM16 12	-9999.99	-28.93	-11.50	17.43	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QAM16 12	-9999.99	-27.58	-11.50	16.08	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QAM16 12	-9999.99	-35.6	-23.50	12.10	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	0	25	QAM16 12	-9999.99	-29.96	-23.50	6.46	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39150	39150	2350.0	2350.0	5.0	0	8	QAM16 20	19.30	21.83	25.70	2.53	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QAM16 20	-9999.99	-29.96	-13.50	16.46	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QAM16 20	-9999.99	-50.51	-13.50	37.01	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QAM16 20	-9999.99	-24.01	-8.50	15.51	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QAM16 20	-9999.99	-30.77	-8.50	22.27	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QAM16 20	-9999.99	-31.47	-11.50	19.97	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QAM16 20	-9999.99	-29.26	-11.50	17.76	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QAM16 20	-9999.99	-39.56	-23.50	16.06	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	0	8	QAM16 20	-9999.99	-30.17	-23.50	6.67	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39150	39150	2350.0	2350.0	5.0	17	8	QAM16 20	19.30	22.3	25.70	3.00	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QAM16 20	-9999.99	-49.69	-13.50	36.19	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QAM16 20	-9999.99	-29.46	-13.50	15.96	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QAM16 20	-9999.99	-32.63	-8.50	24.13	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QAM16 20	-9999.99	-22.03	-8.50	13.53	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QAM16 20	-9999.99	-30.35	-11.50	18.85	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QAM16 20	-9999.99	-35.86	-11.50	24.36	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QAM16 20	-9999.99	-36.3	-23.50	12.80	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	5.0	17	8	QAM16 20	-9999.99	-36.15	-23.50	12.65	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	19.30	21.87	25.70	2.57	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-9999.99	-31.57	-13.50	18.07	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-9999.99	-33.37	-13.50	19.87	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-9999.99	-22.81	-8.50	14.31	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-9999.99	-24.63	-8.50	16.13	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-9999.99	-25.04	-11.50	13.54	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-9999.99	-25.75	-11.50	14.25	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-9999.99	-30.1	-23.50	6.60	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK 5	-9999.99	-30.22	-23.50	6.72	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39625	39625	2397.5	2397.5	5.0	0	8	QPSK 6	20.30	22.52	25.70	2.22	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QPSK 6	-9999.99	-31.39	-13.50	17.89	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QPSK 6	-9999.99	-49.73	-13.50	36.23	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QPSK 6	-9999.99	-22.05	-8.50	13.55	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QPSK 6	-9999.99	-28.75	-8.50	20.25	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QPSK 6	-9999.99	-37.21	-11.50	25.71	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QPSK 6	-9999.99	-25.1	-11.50	13.60	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QPSK 6	-9999.99	-38.85	-23.50	15.35	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QPSK 6	-9999.99	-29.71	-23.50	6.21	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39625	39625	2397.5	2397.5	5.0	17	8	QPSK 6	20.30	22.71	25.70	2.41	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QPSK 6	-9999.99	-47.48	-13.50	33.98	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QPSK 6	-9999.99	-30.98	-13.50	17.48	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QPSK 6	-9999.99	-20.99	-8.50	12.49	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QPSK 6	-9999.99	-26.4	-8.50	17.90	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QPSK 6	-9999.99	-28.55	-11.50	17.05	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QPSK 6	-9999.99	-35.76	-11.50	24.26	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QPSK 6	-9999.99	-38.41	-23.50	14.91	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QPSK 6	-9999.99	-41.88	-23.50	18.38	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39625	39625	2397.5	2397.5	5.0	0	25	QAM16 12	18.30	20.76	25.70	2.46	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QAM16 12	-9999.99	-34.67	-13.50	21.17	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QAM16 12	-9999.99	-34.87	-13.50	21.37	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QAM16 12	-9999.99	-18.57	-8.50	10.07	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QAM16 12	-9999.99	-22.22	-8.50	13.72	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QAM16 12	-9999.99	-30.82	-11.50	19.32	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QAM16 12	-9999.99	-28.32	-11.50	16.82	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QAM16 12	-9999.99	-32.96	-23.50	9.46	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	0	25	QAM16 12	-9999.99	-29.89	-23.50	6.39	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39625	39625	2397.5	2397.5	5.0	0	8	QAM16 20	19.30	21.55	25.70	2.25	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QAM16 20	-9999.99	-32.17	-13.50	18.67	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QAM16 20	-9999.99	-51.13	-13.50	37.63	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QAM16 20	-9999.99	-21.98	-8.50	13.48	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QAM16 20	-9999.99	-28.32	-8.50	19.82	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QAM16 20	-9999.99	-33.19	-11.50	21.69	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QAM16 20	-9999.99	-31.81	-11.50	20.31	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QAM16 20	-9999.99	-36.36	-23.50	12.86	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	0	8	QAM16 20	-9999.99	-34.18	-23.50	10.68	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39625	39625	2397.5	2397.5	5.0	17	8	QAM16 20	19.30	21.12	25.70	1.82	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QAM16 20	-9999.99	-47.47	-13.50	33.97	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QAM16 20	-9999.99	-29.97	-13.50	16.47	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QAM16 20	-9999.99	-21.88	-8.50	13.38	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QAM16 20	-9999.99	-21.97	-8.50	13.47	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QAM16 20	-9999.99	-27.34	-11.50	15.84	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~6MHz(1MHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QAM16 20	-9999.99	-36.07	-11.50	24.57	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Lower Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QAM16 20	-9999.99	-36.05	-23.50	12.55	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 6~10MHz(1MHz) (Upper Side)	40	39625	39625	2397.5	2397.5	5.0	17	8	QAM16 20	-9999.99	-35.33	-23.50	11.83	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	38700	38700	2305.0	2305.0	10.0	0	50	QPSK 6	19.30	22.18	25.70	2.88	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QPSK 6	-9999.99	-39.26	-16.50	22.76	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QPSK 6	-9999.99	-38.92	-16.50	22.42	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QPSK 6	-9999.99	-17.12	-8.50	8.62	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QPSK 6	-9999.99	-18.51	-8.50	10.01	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QPSK 6	-9999.99	-23.71	-11.50	12.21	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QPSK 6	-9999.99	-23.48	-11.50	11.98	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QPSK 6	-9999.99	-35.2	-23.50	11.70	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QPSK 6	-9999.99	-31.61	-23.50	8.11	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	38700	38700	2305.0	2305.0	10.0	0	12	QPSK 6	20.30	22.4	25.70	2.10	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QPSK 6	-9999.99	-33.05	-16.50	16.55	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QPSK 6	-9999.99	-51.66	-16.50	35.16	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QPSK 6	-9999.99	-17.59	-8.50	9.09	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QPSK 6	-9999.99	-19.97	-8.50	11.47	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QPSK 6	-9999.99	-35.74	-11.50	24.24	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QPSK 6	-9999.99	-34.59	-11.50	23.09	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QPSK 6	-9999.99	-40.64	-23.50	17.14	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QPSK 6	-9999.99	-42.84	-23.50	19.34	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	38700	38700	2305.0	2305.0	10.0	38	12	QPSK 6	20.30	23.57	25.70	2.13	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QPSK 6	-9999.99	-51.46	-16.50	34.96	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QPSK 6	-9999.99	-33.77	-16.50	17.27	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QPSK 6	-9999.99	-21.5	-8.50	13.00	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QPSK 6	-9999.99	-20.78	-8.50	12.28	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QPSK 6	-9999.99	-35.67	-11.50	24.17	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QPSK 6	-9999.99	-34.43	-11.50	22.93	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QPSK 6	-9999.99	-39.19	-23.50	15.69	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QPSK 6	-9999.99	-39.01	-23.50	15.51	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	38700	38700	2305.0	2305.0	10.0	0	50	QAM16 20	18.30	20.83	25.70	2.53	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QAM16 20	-9999.99	-36.87	-16.50	20.37	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QAM16 20	-9999.99	-38.59	-16.50	22.09	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QAM16 20	-9999.99	-19.76	-8.50	11.26	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QAM16 20	-9999.99	-16.72	-8.50	8.22	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QAM16 20	-9999.99	-24.8	-11.50	13.30	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QAM16 20	-9999.99	-22.36	-11.50	10.86	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QAM16 20	-9999.99	-33.74	-23.50	10.24	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	0	50	QAM16 20	-9999.99	-32.35	-23.50	8.85	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	38700	38700	2305.0	2305.0	10.0	0	12	QAM16 20	19.30	22.39	25.70	3.09	dBm	PASS

6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QAM16	20	-9999.99	-32.58	-16.50	16.08	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QAM16	20	-9999.99	-54.56	-16.50	38.06	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QAM16	20	-9999.99	-21.64	-8.50	13.14	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QAM16	20	-9999.99	-18.97	-8.50	10.47	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QAM16	20	-9999.99	-39.31	-11.50	27.81	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QAM16	20	-9999.99	-34.05	-11.50	22.55	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QAM16	20	-9999.99	-42.12	-23.50	18.62	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	0	12	QAM16	20	-9999.99	-43.28	-23.50	19.78	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	38700	38700	2305.0	2305.0	10.0	38	12	QAM16	20	19.30	23.55	25.70	2.15	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QAM16	20	-9999.99	-52.02	-16.50	35.52	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QAM16	20	-9999.99	-32.45	-16.50	15.95	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QAM16	20	-9999.99	-21.65	-8.50	13.15	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QAM16	20	-9999.99	-19.01	-8.50	10.51	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QAM16	20	-9999.99	-35	-11.50	23.50	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QAM16	20	-9999.99	-36.22	-11.50	24.72	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Lower Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QAM16	20	-9999.99	-42.22	-23.50	18.72	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Upper Side)	40	38700	38700	2305.0	2305.0	10.0	38	12	QAM16	20	-9999.99	-38.61	-23.50	15.11	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39150	39150	2350.0	2350.0	10.0	0	50	QPSK	6	19.30	21.97	25.70	2.67	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QPSK	6	-9999.99	-36.72	-16.50	20.22	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QPSK	6	-9999.99	-38.46	-16.50	21.96	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QPSK	6	-9999.99	-18.43	-8.50	9.93	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QPSK	6	-9999.99	-19.61	-8.50	11.11	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QPSK	6	-9999.99	-23.75	-11.50	12.25	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QPSK	6	-9999.99	-26.58	-11.50	15.08	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QPSK	6	-9999.99	-34.42	-23.50	10.92	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QPSK	6	-9999.99	-36.29	-23.50	12.79	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39150	39150	2350.0	2350.0	10.0	0	12	QPSK	6	20.30	22.89	25.70	2.59	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QPSK	6	-9999.99	-33.8	-16.50	17.30	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QPSK	6	-9999.99	-54.65	-16.50	38.15	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QPSK	6	-9999.99	-19.48	-8.50	10.98	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QPSK	6	-9999.99	-19.92	-8.50	11.42	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QPSK	6	-9999.99	-35.13	-11.50	23.63	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QPSK	6	-9999.99	-38.75	-11.50	27.25	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QPSK	6	-9999.99	-40.01	-23.50	16.51	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QPSK	6	-9999.99	-43.42	-23.50	19.92	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39150	39150	2350.0	2350.0	10.0	38	12	QPSK	6	20.30	23.09	25.70	2.61	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QPSK	6	-9999.99	-52.2	-16.50	35.70	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QPSK	6	-9999.99	-34.69	-16.50	18.19	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QPSK	6	-9999.99	-20.15	-8.50	11.65	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QPSK	6	-9999.99	-16.18	-8.50	7.68	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QPSK	6	-9999.99	-35.07	-11.50	23.57	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QPSK	6	-9999.99	-36.31	-11.50	24.81	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QPSK	6	-9999.99	-38.71	-23.50	15.21	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QPSK	6	-9999.99	-33.98	-23.50	10.48	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39150	39150	2350.0	2350.0	10.0	0	50	QAM16	20	18.30	20.62	25.70	2.32	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QAM16	20	-9999.99	-36.6	-16.50	20.10	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QAM16	20	-9999.99	-38.58	-16.50	22.08	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QAM16	20	-9999.99	-17.68	-8.50	9.18	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QAM16	20	-9999.99	-21.27	-8.50	12.77	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QAM16	20	-9999.99	-25.03	-11.50	13.53	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QAM16	20	-9999.99	-28.59	-11.50	17.09	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QAM16	20	-9999.99	-35.49	-23.50	11.99	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	0	50	QAM16	20	-9999.99	-37.73	-23.50	14.23	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39150	39150	2350.0	2350.0	10.0	0	12	QAM16	20	19.30	22.18	25.70	2.88	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QAM16	20	-9999.99	-32.09	-16.50	15.59	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QAM16	20	-9999.99	-56.08	-16.50	39.58	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QAM16	20	-9999.99	-21.65	-8.50	13.15	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QAM16	20	-9999.99	-19.81	-8.50	11.31	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QAM16	20	-9999.99	-38.32	-11.50	26.82	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QAM16	20	-9999.99	-40.07	-11.50	28.57	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QAM16	20	-9999.99	-42.08	-23.50	18.58	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	0	12	QAM16	20	-9999.99	-45.24	-23.50	21.74	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39150	39150	2350.0	2350.0	10.0	38	12	QAM16	20	19.30	22.31	25.70	3.01	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QAM16	20	-9999.99	-54.96	-16.50	38.46	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QAM16	20	-9999.99	-34.26	-16.50	17.76	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QAM16	20	-9999.99	-22.26	-8.50	13.76	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QAM16	20	-9999.99	-19.85	-8.50	11.35	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QAM16	20	-9999.99	-37.63	-11.50	26.13	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QAM16	20	-9999.99	-37.56	-11.50	26.06	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QAM16	20	-9999.99	-45.61	-23.50	22.11	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	10.0	38	12	QAM16	20	-9999.99	-35.64	-23.50	12.14	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39600	39600	2395.0	2395.0	10.0	0	50	QPSK	6	19.30	21.77	25.70	2.47	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QPSK	6	-9999.99	-38.59	-16.50	22.09	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QPSK	6	-9999.99	-40.92	-16.50	24.42	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QPSK	6	-9999.99	-17.83	-8.50	9.33	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QPSK	6	-9999.99	-21.9	-8.50	13.40	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QPSK	6	-9999.99	-26.27	-11.50	14.77	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QPSK	6	-9999.99	-29.26	-11.50	17.76	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QPSK	6	-9999.99	-37.43	-23.50	13.93	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QPSK	6	-9999.99	-38.48	-23.50	14.98	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39600	39600	2395.0	2395.0	10.0	0	12	QPSK	6	20.30	22.4	25.70	2.10	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QPSK	6	-9999.99	-32.78	-16.50	16.28	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QPSK	6	-9999.99	-55.03	-16.50	38.53	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QPSK	6	-9999.99	-17.41	-8.50	8.91	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QPSK	6	-9999.99	-23.49	-8.50	14.99	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QPSK	6	-9999.99	-37.68	-11.50	26.18	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QPSK	6	-9999.99	-41.28	-11.50	29.78	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QPSK	6	-9999.99	-43.64	-23.50	20.14	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QPSK	6	-9999.99	-41.52	-23.50	18.02	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39600	39600	2395.0	2395.0	10.0	38	12	QPSK	6	20.30	22.46	25.70	2.16	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QPSK	6	-9999.99	-51.54	-16.50	35.04	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QPSK	6	-9999.99	-33.59	-16.50	17.09	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QPSK	6	-9999.99	-21.14	-8.50	12.64	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QPSK	6	-9999.99	-23.53	-8.50	15.03	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QPSK	6	-9999.99	-31.28	-11.50	19.78	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QPSK	6	-9999.99	-36.99	-11.50	25.49	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QPSK	6	-9999.99	-44.63	-23.50	21.13	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QPSK	6	-9999.99	-36.51	-23.50	13.01	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39600	39600	2395.0	2395.0	10.0	0	50	QAM16	20	18.30	20.98	25.70	2.68	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QAM16	20	-9999.99	-37.24	-16.50	20.74	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QAM16	20	-9999.99	-40.59	-16.50	24.09	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QAM16	20	-9999.99	-22.61	-8.50	14.11	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QAM16	20	-9999.99	-19.86	-8.50	11.36	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QAM16	20	-9999.99	-27.17	-11.50	15.67	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QAM16	20	-9999.99	-28.52	-11.50	17.02	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QAM16	20	-9999.99	-37.11	-23.50	13.61	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	0	50	QAM16	20	-9999.99	-38.6	-23.50	15.10	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39600	39600	2395.0	2395.0	10.0	0	12	QAM16	20	19.30	22.59	25.70	3.11	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QAM16	20	-9999.99	-34.16	-16.50	17.66	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QAM16	20	-9999.99	-56.41	-16.50	39.91	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QAM16	20	-9999.99	-23.93	-8.50	15.43	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QAM16	20	-9999.99	-23.71	-8.50	15.21	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QAM16	20	-9999.99	-40.01	-11.50	28.51	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QAM16	20	-9999.99	-41.51	-11.50	30.01	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QAM16	20	-9999.99	-42.44	-23.50	18.94	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	0	12	QAM16	20	-9999.99	-44.59	-23.50	21.09	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39600	39600	2395.0	2395.0	10.0	38	12	QAM16	20	19.30	23.41	25.70	2.29	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QAM16	20	-9999.99	-53.06	-16.50	36.56	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QAM16	20	-9999.99	-34.62	-16.50	18.12	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QAM16	20	-9999.99	-21.75	-8.50	13.25	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QAM16	20	-9999.99	-18.99	-8.50	10.49	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QAM16	20	-9999.99	-32.65	-11.50	21.15	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~10MHz(1MHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QAM16	20	-9999.99	-37.56	-11.50	26.06	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Lower Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QAM16	20	-9999.99	-41.61	-23.50	18.11	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 10~15MHz(1MHz) (Upper Side)	40	39600	39600	2395.0	2395.0	10.0	38	12	QAM16	20	-9999.99	-36.03	-23.50	12.53	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK	2	19.30	21.9	25.70	2.60	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK	2	-9999.99	-41.72	-19.50	22.22	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK	2	-9999.99	-40.58	-19.50	21.08	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK	2	-9999.99	-19.58	-8.50	11.08	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK	2	-9999.99	-18.1	-8.50	9.60	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK	2	-9999.99	-23.02	-11.50	11.52	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK	2	-9999.99	-19.49	-11.50	7.99	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK	2	-9999.99	-46.98	-23.50	23.48	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK	2	-9999.99	-30.74	-23.50	7.24	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	38750	38750	2310.0	2310.0	20.0	0	18	QPSK	6	20.30	23.42	25.70	2.28	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QPSK	6	-9999.99	-38.52	-19.50	19.02	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QPSK	6	-9999.99	-58.53	-19.50	39.03	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QPSK	6	-9999.99	-19.14	-8.50	10.64	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QPSK	6	-9999.99	-21.8	-8.50	13.30	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QPSK	6	-9999.99	-32.92	-11.50	21.42	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QPSK	6	-9999.99	-13.65	-11.50	2.15	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QPSK	6	-9999.99	-45.39	-23.50	21.89	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QPSK	6	-9999.99	-24.7	-23.50	1.20	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	38750	38750	2310.0	2310.0	20.0	82	18	QPSK	6	20.30	23.22	25.70	2.48	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QPSK	6	-9999.99	-56.57	-19.50	37.07	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QPSK	6	-9999.99	-36.8	-19.50	17.30	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QPSK	6	-9999.99	-30.14	-8.50	21.64	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QPSK	6	-9999.99	-19.03	-8.50	10.53	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QPSK	6	-9999.99	-19.5	-11.50	8.00	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QPSK	6	-9999.99	-23.73	-11.50	12.23	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QPSK	6	-9999.99	-44.19	-23.50	20.69	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QPSK	6	-9999.99	-26.03	-23.50	2.53	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	38750	38750	2310.0	2310.0	20.0	0	100	QAM16	12	18.30	20.65	25.70	2.35	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QAM16	12	-9999.99	-40.23	-19.50	20.73	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QAM16	12	-9999.99	-40.42	-19.50	20.92	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QAM16	12	-9999.99	-20.59	-8.50	12.09	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QAM16	12	-9999.99	-16.91	-8.50	8.41	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QAM16	12	-9999.99	-22.42	-11.50	10.92	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QAM16	12	-9999.99	-20.74	-11.50	9.24	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QAM16	12	-9999.99	-42.79	-23.50	19.29	dBm	PASS


6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	0	100	QAM16	12	-9999.99	-32.74	-23.50	9.24	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	38750	38750	2310.0	2310.0	20.0	0	18	QAM16	15	19.30	21.88	25.70	2.58	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QAM16	15	-9999.99	-36.57	-19.50	17.07	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QAM16	15	-9999.99	-58.14	-19.50	38.64	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QAM16	15	-9999.99	-21.29	-8.50	12.79	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QAM16	15	-9999.99	-23.62	-8.50	15.12	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QAM16	15	-9999.99	-33.52	-11.50	22.02	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QAM16	15	-9999.99	-23.36	-11.50	11.86	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QAM16	15	-9999.99	-43.92	-23.50	20.42	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	0	18	QAM16	15	-9999.99	-40.13	-23.50	16.63	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	38750	38750	2310.0	2310.0	20.0	82	18	QAM16	15	19.30	21.44	25.70	2.14	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QAM16	15	-9999.99	-57.39	-19.50	37.89	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QAM16	15	-9999.99	-35.19	-19.50	15.69	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QAM16	15	-9999.99	-28.49	-8.50	19.99	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QAM16	15	-9999.99	-18.28	-8.50	9.78	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QAM16	15	-9999.99	-28.83	-11.50	17.33	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QAM16	15	-9999.99	-27.87	-11.50	16.37	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Lower Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QAM16	15	-9999.99	-44.81	-23.50	21.31	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Upper Side)	40	38750	38750	2310.0	2310.0	20.0	82	18	QAM16	15	-9999.99	-42.96	-23.50	19.46	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK	2	19.30	21.82	25.70	2.52	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK	2	-9999.99	-39.07	-19.50	19.57	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK	2	-9999.99	-43.02	-19.50	23.52	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK	2	-9999.99	-18.31	-8.50	9.81	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK	2	-9999.99	-21.08	-8.50	12.58	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK	2	-9999.99	-19.86	-11.50	8.36	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK	2	-9999.99	-22.49	-11.50	10.99	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK	2	-9999.99	-30.2	-23.50	6.70	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK	2	-9999.99	-32.13	-23.50	8.63	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39150	39150	2350.0	2350.0	20.0	0	18	QPSK	6	20.30	22.69	25.70	2.39	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QPSK	6	-9999.99	-36.76	-19.50	17.26	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QPSK	6	-9999.99	-60.27	-19.50	40.77	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QPSK	6	-9999.99	-19.72	-8.50	11.22	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QPSK	6	-9999.99	-27.69	-8.50	19.19	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QPSK	6	-9999.99	-26.28	-11.50	14.78	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QPSK	6	-9999.99	-20.69	-11.50	9.19	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QPSK	6	-9999.99	-25.02	-23.50	1.52	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QPSK	6	-9999.99	-27.96	-23.50	4.46	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39150	39150	2350.0	2350.0	20.0	82	18	QPSK	6	20.30	24.07	25.70	1.63	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QPSK	6	-9999.99	-56.61	-19.50	37.11	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QPSK	6	-9999.99	-36.8	-19.50	17.30	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QPSK	6	-9999.99	-27.9	-8.50	19.40	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QPSK	6	-9999.99	-17.95	-8.50	9.45	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QPSK	6	-9999.99	-19.47	-11.50	7.97	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QPSK	6	-9999.99	-26.02	-11.50	14.52	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QPSK	6	-9999.99	-25.95	-23.50	2.45	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QPSK	6	-9999.99	-29.49	-23.50	5.99	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39150	39150	2350.0	2350.0	20.0	0	100	QAM16	12	18.30	20.98	25.70	2.68	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QAM16	12	-9999.99	-38.77	-19.50	19.27	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QAM16	12	-9999.99	-42.62	-19.50	23.12	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QAM16	12	-9999.99	-19.43	-8.50	10.93	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QAM16	12	-9999.99	-22.96	-8.50	14.46	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QAM16	12	-9999.99	-20.24	-11.50	8.74	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QAM16	12	-9999.99	-24.5	-11.50	13.00	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QAM16	12	-9999.99	-35.83	-23.50	12.33	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	0	100	QAM16	12	-9999.99	-35.03	-23.50	11.53	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39150	39150	2350.0	2350.0	20.0	0	18	QAM16	15	19.30	22.06	25.70	2.76	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QAM16	15	-9999.99	-35.24	-19.50	15.74	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QAM16	15	-9999.99	-57.2	-19.50	37.70	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QAM16	15	-9999.99	-22.14	-8.50	13.64	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QAM16	15	-9999.99	-26.45	-8.50	17.95	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QAM16	15	-9999.99	-29.15	-11.50	17.65	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QAM16	15	-9999.99	-27.84	-11.50	16.34	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QAM16	15	-9999.99	-34.45	-23.50	10.95	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	0	18	QAM16	15	-9999.99	-38.31	-23.50	14.81	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39150	39150	2350.0	2350.0	20.0	82	18	QAM16	15	19.30	23.59	25.70	2.11	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QAM16	15	-9999.99	-57.02	-19.50	37.52	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QAM16	15	-9999.99	-37.45	-19.50	17.95	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QAM16	15	-9999.99	-25.17	-8.50	16.67	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QAM16	15	-9999.99	-23.17	-8.50	14.67	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QAM16	15	-9999.99	-23.73	-11.50	12.23	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QAM16	15	-9999.99	-33.81	-11.50	22.31	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Lower Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QAM16	15	-9999.99	-38.8	-23.50	15.30	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Upper Side)	40	39150	39150	2350.0	2350.0	20.0	82	18	QAM16	15	-9999.99	-31.37	-23.50	7.87	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK	2	19.30	21.64	25.70	2.34	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK	2	-9999.99	-42.69	-19.50	23.19	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK	2	-9999.99	-45.18	-19.50	25.68	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK	2	-9999.99	-21.02	-8.50	12.52	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK	2	-9999.99	-23.72	-8.50	15.22	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK	2	-9999.99	-25.56	-11.50	14.06	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK	2	-9999.99	-26.82	-11.50	15.32	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK	2	-9999.99	-36.29	-23.50	12.79	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK	2	-9999.99	-41.82	-23.50	18.32	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39550	39550	2390.0	2390.0	20.0	0	18	QPSK	6	20.30	23.07	25.70	2.63	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QPSK	6	-9999.99	-38.51	-19.50	19.01	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QPSK	6	-9999.99	-56.49	-19.50	36.99	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QPSK	6	-9999.99	-20.01	-8.50	11.51	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QPSK	6	-9999.99	-26.05	-8.50	17.55	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QPSK	6	-9999.99	-26.51	-11.50	15.01	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QPSK	6	-9999.99	-19.91	-11.50	8.41	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QPSK	6	-9999.99	-24.02	-23.50	0.52	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QPSK	6	-9999.99	-33.89	-23.50	10.39	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39550	39550	2390.0	2390.0	20.0	82	18	QPSK	6	20.30	22.54	25.70	2.24	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QPSK	6	-9999.99	-56.35	-19.50	36.85	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QPSK	6	-9999.99	-37.15	-19.50	17.65	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QPSK	6	-9999.99	-25.78	-8.50	17.28	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QPSK	6	-9999.99	-23.43	-8.50	14.93	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QPSK	6	-9999.99	-18.31	-11.50	6.81	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QPSK	6	-9999.99	-27.41	-11.50	15.91	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QPSK	6	-9999.99	-27.36	-23.50	3.86	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QPSK	6	-9999.99	-37.56	-23.50	14.06	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39550	39550	2390.0	2390.0	20.0	0	100	QAM16	12	18.30	19.9	25.70	1.60	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QAM16	12	-9999.99	-41.77	-19.50	22.27	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QAM16	12	-9999.99	-45.14	-19.50	25.64	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QAM16	12	-9999.99	-23.24	-8.50	14.74	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QAM16	12	-9999.99	-22.99	-8.50	14.49	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QAM16	12	-9999.99	-25.9	-11.50	14.40	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QAM16	12	-9999.99	-28.29	-11.50	16.79	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QAM16	12	-9999.99	-35.86	-23.50	12.36	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	0	100	QAM16	12	-9999.99	-43.47	-23.50	19.97	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39550	39550	2390.0	2390.0	20.0	0	18	QAM16	15	19.30	21.54	25.70	2.24	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QAM16	15	-9999.99	-36.86	-19.50	17.36	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QAM16	15	-9999.99	-57.08	-19.50	37.58	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QAM16	15	-9999.99	-23.76	-8.50	15.26	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QAM16	15	-9999.99	-26.51	-8.50	18.01	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QAM16	15	-9999.99	-31.36	-11.50	19.86	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QAM16	15	-9999.99	-27.8	-11.50	16.30	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QAM16	15	-9999.99	-36.53	-23.50	13.03	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	0	18	QAM16	15	-9999.99	-42.32	-23.50	18.82	dBm	PASS
6.6.2.1 Spectrum Emission Mask	UE Output Power for SEM	40	39550	39550	2390.0	2390.0	20.0	82	18	QAM16	15	19.30	20.72	25.70	1.42	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QAM16	15	-9999.99	-57.2	-19.50	37.70	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 0~1MHz(30KHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QAM16	15	-9999.99	-39.75	-19.50	20.25	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QAM16	15	-9999.99	-27.14	-8.50	18.64	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 1~5MHz(1MHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QAM16	15	-9999.99	-23.79	-8.50	15.29	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QAM16	15	-9999.99	-26.37	-11.50	14.87	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 5~20MHz(1MHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QAM16	15	-9999.99	-32.77	-11.50	21.27	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Lower Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QAM16	15	-9999.99	-37.27	-23.50	13.77	dBm	PASS
6.6.2.1 Spectrum Emission Mask	Range 20~25MHz(1MHz) (Upper Side)	40	39550	39550	2390.0	2390.0	20.0	82	18	QAM16	15	-9999.99	-43.48	-23.50	19.98	dBm	PASS
7.3 Reference sensitivity level	@ 3GPP(MaxiOutputPower) UE Power Level	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK	5	0.00	0	5.00	5.00	%%	PASS
7.3 Reference sensitivity level	@ 3GPP(MaxiOutputPower) UE Power Level	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK	5	0.00	0	5.00	5.00	%%	PASS
7.3 Reference sensitivity level	@ 3GPP(MaxiOutputPower) UE Power Level	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK	5	0.00	0	5.00	5.00	%%	PASS
7.3 Reference sensitivity level	@ 3GPP(MaxiOutputPower) UE Power Level	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK	2	0.00	0	5.00	5.00	%%	PASS
7.3 Reference sensitivity level	@ 3GPP(MaxiOutputPower) UE Power Level	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK	2	0.00	0	5.00	5.00	%%	PASS
7.3 Reference sensitivity level	@ 3GPP(MaxiOutputPower) UE Power Level	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK	2	0.00	0	5.00	5.00	%%	PASS
7.4 Maximum Input Level	@ 3GPP UE Power Level	40	38675	38675	2302.5	2302.5	5.0	0	25	QPSK	5	0.00	0.01	5.00	4.99	%%	PASS
7.4 Maximum Input Level	@ 3GPP UE Power Level	40	39150	39150	2350.0	2350.0	5.0	0	25	QPSK	5	0.00	0	5.00	5.00	%%	PASS
7.4 Maximum Input Level	@ 3GPP UE Power Level	40	39625	39625	2397.5	2397.5	5.0	0	25	QPSK	5	0.00	0	5.00	5.00	%%	PASS
7.4 Maximum Input Level	@ 3GPP UE Power Level	40	38750	38750	2310.0	2310.0	20.0	0	100	QPSK	2	0.00	0	5.00	5.00	%%	PASS
7.4 Maximum Input Level	@ 3GPP UE Power Level	40	39150	39150	2350.0	2350.0	20.0	0	100	QPSK	2	0.00	0	5.00	5.00	%%	PASS
7.4 Maximum Input Level	@ 3GPP UE Power Level	40	39550	39550	2390.0	2390.0	20.0	0	100	QPSK	2	0.00	0.01	5.00	4.99	%%	PASS
Total Passed tests	606																
Total Failed tests	0																

Transmitter Spurious Emission

LTE 2300 MHz


Kanal Bawah

Rentang Frekuensi	Spurious Emission Spesifikasi	Spurious Emission Pengukuran
30 MHz - 1000 MHz	≤ -36 dBm	-58.63 dBm
1000 MHz - 2300 MHz	≤ -30 dBm	-44.47 dBm
2400 MHz - 12750 MHz	≤ -30 dBm	-40.19 dBm



Kanal Atas

Rentang Frekuensi	Spurious Emission Spesifikasi	Spurious Emission Pengukuran
30 MHz - 1000 MHz	≤ -36 dBm	-59.18 dBm
1000 MHz - 2300 MHz	≤ -30 dBm	-46.25 dBm
2400 MHz - 12750 MHz	≤ -30 dBm	-41.95 dBm




Receiver Spurious Emission

LTE 2300 MHz


Kanal Bawah

Rentang Frekuensi	Spurious Emission Spesifikasi	Spurious Emission Pengukuran
30 MHz - 1000 MHz	≤ -57 dBm	-77.47 dBm
1000 MHz - 2300 MHz	≤ -47 dBm	-66.88 dBm
2400 MHz - 12750 MHz	≤ -47 dBm	-62.29 dBm



Kanal Atas

Rentang Frekuensi	Spurious Emission Spesifikasi	Spurious Emission Pengukuran
30 MHz - 1000 MHz	≤ -57 dBm	-78.00 dBm
1000 MHz - 2300 MHz	≤ -47 dBm	-65.73 dBm
2400 MHz - 12750 MHz	≤ -47 dBm	-61.37 dBm



USR-G806w specification

Better Wi-Fi industrial router



Introduction

USR-G806w is the pro version of our all-time bestseller G806 that inherited its' best features, including industrial design, compact size, multiple connection interfaces. It delivers high performance for mission-critical cellular communication in rigorous environments.

Equipped with 4G LTE, Wi-Fi, and three Ethernet ports, this router offers unstoppable connection continuity with a backup through automatic WAN failover. The Wi-Fi is functional in: Access point, Station mode and repeater mode.

USR-G806w is an excellent fit in various IoT and M2M solutions that require easy setup, reliable network, and remote accessibility, such as service robot, inspection robot, unmanned vehicle networking, massage chair networking, AGV car and other industrial application scenarios.

Features

Stable And Reliable

- Industrial design Metal shell, IP30 protection.
- Wide operating temperature. Wide voltage input,reverse polarity protection.
- ESD,Surge,EFT protection.
- Embedded hardware watchdog, self-recovers from malfunctions, maintaining high device availability.


Uninterrupted network access

- Supports 2G/3G/4G network all over the world ,supports APN/VPDN sim card.
- Failover between 4G and WAN, ensures automatic switch to alternative backup connection,effectively ensuring uninterrupted data transmission.
- Link backup: mutual backup of wired, 4G cellular and WiFi networks
- Equipped with strong Wi-Fi capability,802.11 a/b/g/n,2.4G Wi-Fi,2*2 MIMO, up to 300Mbps,Support AP/STA/repeater mode
- VPN tunnel detection: maintains stable connection of the VPN tunnel, ensuring continuous transmission.
- Multi-layer link detection mechanism, automatic redial and recovery.

Rich functions

- Supports PUSR cloud platform to facilitate remote monitoring and central management of large-scale device networks.
- Supports remote monitoring, upgrade and parameter configuration, remote access to the built-in web pages.
- Wall-mounting and DIN-rail mounting options available,easy to install.
- Supports IPsec VPN, PPTP,L2TP, OPENVPN,GRE etc., ensuring secure data transmission.
- Supports firewall functions including NAT, access control, DDoS defense, IP-MAC binding, etc., protecting the network against external attacks.
- Supports APN automatic inspection ,mode switch ,SIM information display, supports private sim card.
- Supports DDNS,PPPOE,DHCP,Static IP.
- Allows multiple network management methods including SSH, WEB, TELNET and a network management platform.
- Supports firewall, NAT,DMZ,black and white list of access control
- Support SNMP,VLAN

Dimensions



- Unit: mm.
- Dimensions: 104*102*28.0mm(L*W*H).Power terminal, antenna connector are not included.
- Installation Method: 35mm DIN-rail mounting,Panel mounting.

G806 series ordering guide

USR-G806 ordering guide			
model	USR-G806-<M>	USR-G806w-<M>	USR-G806s-<M>
Region <M>	-43：China/India -G：Global -A:North America -E：EMEA/South Africa/Thailand -AU：Latin/Australia/New Zealand -EAU:Europe/Australia/New Zealand	-G: Global -43: China/India -E: EMEA/Thailand -AU：Latin/Australia/New Zealand	-43：China/India -EAU:EMEA/Thailand
Wi-Fi	AP	AP/STA/Repeater	AP
Ethernet port	1WAN/LAN+1LAN	1WAN/LAN+2LAN	1WAN/LAN+1LAN
Serial port	--	---	RS485
Dimensions（mm）	100.0*94.0*29.0	104.0*102.0.28.0	90.0*84.0*25.0

Specifications

USR-G806w hardware specification				
Cellular Interface	Frequency	-E	-AU	-G
		TDD-LTE:B38/40/41	TDD-LTE:B40	TDD-LTE:B34/38/39/40/41
		FDD-LTE：B1/3/7/8/20/28A	FDD-LTE:B1/2/3/5/7/8/28	FDD-LTE: B1/2/3/4/5/7/8/12/13/18/19/20/25/26/28/66
		WCDMA：B1/8	WCDMA：B1/2/4/5/8	WCDMA：B1/2/4/5/6/8/19
		GSM/EDGE:B3/8	GSM/EDGE:B2/3/5/8	GSM/EDGE:B2/3/5/8
	Antenna	1 x SMA-K		
	SIM card	1 x (3 V & 1.8 V) Standard 4FF SIM		
Ethernet	WAN	1 x WAN port (can be configured to LAN) 10/100 Mbps, compliance with IEEE 802.3, supports auto MDI/MDIX,1.5KV network isolation transformer protection		
	LAN	1 x LAN port, 10/100 Mbps, compliance with IEEE 802.3, IEEE 802.3u standards, supports auto MDI/MDIX,1.5KV network isolation transformer protection		
Indicators	PWR	red,always on after powered on		
	WIFI	green,always solid on when WiFi is enabled and working properly		
	2/3/4G mode indicator	2G led is on after connected to 2G network		
		3G led is on after connected to 3G network		
		Both leds is on after connected to 4G network		
	SIG	Signal strength：2 LED is solid on,strongest signal		
Wi-Fi	Standards & Frequency	IEEE 802.11b/g/n， 2.4GHz， AP/STA/Repeater mode		
	Data speed	300Mbps		
	Antenna	2 x RP-SMA-K		
	MIMO	2×2		
	Transmission distance	500 meters by line of sight.Actual transmission distance depends on environment of the site.		
	WiFi users	Up to 20 simultaneous connections		
Power Supply	Adaptor	DC 12V/1A		
	Connector	DC Power Jack Barrel Type Female 5.5*2.1mm Round socket or 2 PIN industrial terminal block,reverse polarity protection		
	Input voltage	DC 9-36V		

	Power consumption	Average 260mA/12V
Physical Characteristics	Casing material	Metal shell,IP30
	Dimensions	104.0*102.0*28.0 (L*W*H, antenna pedestal, terminal block and DIN Rail are not included)
	Installation	Panel mounting, DIN-Rail mounting
	EMC	Static IEC61000-4-2, level 3
		Pulsed Electric Field IEC61000-4-4, level 3
		Surge IEC61000-4-5, level 3
	Operating temperature	-20℃~+70℃
	Storage temperature	-40℃ ~ +125℃（non-condensing）
	Operating humidity	5%~95%（non-condensing）
Others	Reload	Pinhole reset button
	TBD	Debug interface (TTL Level)
	Ground protection	Screw
	Approvals	CE, WPC, RCM， ROHS, WEEE
USR-G806w Software Specifications		
Network Connection	WAN protocol	PPP, PPPoE, DHCP client
	LAN protocol	ARP, DHCP server, NAT， VLAN
	4G network access	Auto APN/VPDN, private network
		Access authentication: CHAP/PAP
	WLAN security	Open system,WPA/WPA2 PSK
		TKIP/AES encryption
	IP routing	Static routing
	Network diagnosis	Ping,route trace,DNS
Device management	Configuration	Web
	Remote management	SSH, AT command,SNMP,SMS
	PUSR platform	Remote monitoring,remote upgrade,alarming,base station location,remote access to web pages of the router
Security	Failover backup	WiFi WAN, Mobile, Wired options, each of which can be used as an automatic Failover
	Firewall	DMZ, anti-DoS, Filtering (IP/Domain name/MAC address), Port Mapping, Access Control
	VPN	Supports PPTP, L2TP, GRE, IPSEC VPN (IKEv1), OPENVPN protocols
Service	DDNS	Remote access the device through domain name

	Alarm	Email,SMS
		NTP client
	Others	Timing task

Purchase and Support

■ For more information please visit our websites:

Official website:https://pusr.com

Official shop:https://shop.usriot.com

Technical support: http://h.usriot.com/

DEKLARASI TEKNIS ALAT/PERANGKAT TELEKOMUNIKASI

A. Informasi Pemohon

PLG ID : 10441

B. Informasi Perangkat

APL ID : 9628

1.	Catu Daya	□ Vac 220 V □ Vdc : …. V □ …..	☑ DC Adaptor □ PoE
2.	Konstruksi	☑ Berdiri Sendiri □ Tergabung	□ Terpisah □ Modul

C. Fitur Telekomunikasi yang diujikan

- **Seluler (subscriber)**

□ GSM/DCS			
1.	Frekuensi Kerja	□ 900 MHz	□ 1800 MHz
2.	Nominal Daya RF (konektor/rf test point)	□ 900 MHz Daya RF : ….. dBm ± ….. dB □ 1800 MHz Daya RF : ….. dBm ± ….. dB	
□ WCDMA/UMTS			
1.	Frekuensi Kerja	□ 900 MHz	□ 2100 MHz
2.	Nominal Daya RF (konektor/rf test point)	□ 900 MHz Daya RF : ….. dBm ± ….. dB □ 2100 MHz Daya RF : ….. dBm ± ….. dB	
☑ LTE			
1.	Frekuensi Kerja	□ 450 MHz □ 900 MHz □ 2100 MHz	□ 850 MHz □ 1800 MHz ☑ 2300 MHz
2.	Nominal Daya RF (konektor/rf test point)	□ 450 MHz Daya RF : ….. dBm ± ….. dB □ 850 MHz Daya RF : ….. dBm ± ….. dB □ 900 MHz Daya RF : ….. dBm ± ….. dB □ 1800 MHz Daya RF : ….. dBm ± ….. dB □ 2100 MHz Daya RF : ….. dBm ± ….. dB □ 2300 MHz Daya RF : ….. dBm ± ….. dB	
Antena		□ Diluar dan terpisah dalam satu paket Gain : ….. dB □ Diluar dan berdiri sendiri tidak dalam satu paket □ Didalam atau tergabung Gain : ….. dB	

D. Fitur Telekomunikasi yang tidak diujikan

- ☑ Fitur GSM/DCS
- ☑ Fitur WCDMA/UMTS
- ☑ Fitur Wifi

E. Informasi Lainnya

- Fitur telekomunikasi yang terdapat pada dokumen teknis yang dilampirkan dan tidak dinyatakan dalam deklarasi ini, artinya tidak digunakan dan sudah tidak ada dalam alat/perangkat.
- .....
- .....

PT. Farra Ekatama Solusi

Cap/Stempel Perusahaan